KITCHEN ESSENTIALS 2014 L'UNIVERS DE LA CUISINE



cata & Can Roca

cata

KITCHEN ESSENTIALS 2014 L'UNIVERS DE LA CUISINE



KITCHEN ESSENTIALS / L'UNIVERS DE LA CUISINE

CATA, the company / **CATA ,la société** p4-5

CATA & CAN ROCA p6-7

A Kitchen with Solutions / Une Cuisine pleine de Solutions p8-9

HOODS / HOTTES

CATA&CAN ROCA ISLANDS / HOTTES ÎLOTS **CATA&CAN ROCA** p18-25

DECORATIVE ISLANDS / ÎLOTS DÉCORATIFS p26-30

CORNER / HOTTES D'ANGLE p31

SILENT SPLIT TECHNOLOGY ISLANDS
ÎLOTS SILENT SPLIT TECHNOLOGY p32-35

CATA CAN&ROCA DECORATIVE
DÉCORATIVES CATA&CAN ROCA p38-47

DECORATIVE HOODS / DÉCORATIVES p48-67

SILENT SPLIT TECHNOLOGY DECORATIVE
DÉCORATIVES SILENT SPLIT TECHNOLOGY p68-71

INSERTS / GROUPES FILTRANTS p72-75

TELESCOPIC / TÉLÉSCOPIQUES p76-81

CONVENTIONAL / CONVENTIONNELS p82-83

HOBS / TABLES DE CUISON

CATA&CAN ROCA INDUCTION / À INDUCTION **CATA&CAN ROCA** p88-99

INDUCTION / À INDUCTION p100-105

VITROCERAMIC / VITROCÉRAMIQUE p106-111

GAS / AU GAZ p112-125

OVENS / FOURS p126-149

MICROWAVES / MICRO-ONDES p150-157

SINKS / ÉVIERS DE CUISINE p162-167

TAPS / ROBINETS p168-170

ACCESSORIES / ACCESSOIRES p171-175

Products designed and manufactured in Spain

CATA ELECTRODOMÉSTICOS, S.L., manufacturer of electrical appliances, founded in Torelló, Spain, in 1947. Since then, we have been pioneers in the domestic extraction business. Our wide product range includes extractors, hoods, hobs, ovens, microwaves, taps and sinks.

Our values:

Commitment to our customers

The design and development of our products is based on painstaking studies with a clear orientation towards meeting our customers' needs, providing solutions to promote functionality, efficiency, durability and reliability while remaining environmentally friendly. Every detail is important. That is why, in our brand's more than six decades of history, we have placed, and continue to place, special emphasis on all of them until we obtain the best possible product.

Experience

At **CATA** we are continually researching. We use top-quality components together with the latest manufacturing techniques to achieve the most technologically advanced products on the market. Proven experience in the creation, development and manufacturing processes are the pillars on which the high efficiency, quality and reliability of our products is based.

Energy efficiency. Environment

At **CATA** we are committed to the environment and we think your kitchen can be an example of energy efficiency. A clear example is our exclusive motor with Brushless technology which does away with the traditional graphite brushes, eliminating friction and extending the useful life of the motor while achieving the quietest motors on the market, with an energy saving of up to 84% compared to an equivalent motor.

Another clear example of energy efficiency is our patent, a new, effective water cleaning system aQuaSmart®, incorporated in the new range of **CATA** ovens. It is a new technology with considerable energy savings.

Produits conçus et fabriqués en Espagne

CATA ELECTRODOMÉSTICOS, S.L entreprise de fabrication d'appareils électroménagers, fondée en 1947 à Torelló, Espagne. Depuis, nous avons toujours été une entreprise pionnière dans le domaine de l'extraction domestique. Notre vaste gamme de produits comprend des extracteurs, des hottes aspirantes, des plaques de cuisson, des fours, des micro-ondes, des robinets et des éviers.

Nos valeurs :

Engagement envers nos clients

La conception et le développement de nos produits se basent sur des études approfondies visant principalement à répondre aux besoins de nos clients, en apportant des solutions qui favorisent la fonctionnalité, l'efficacité, la durabilité et la fiabilité tout en respectant l'environnement. Chaque détail compte. C'est la raison pour laquelle dans les soixante ans d'histoire de notre marque, nous avons mis et nous continuons à mettre particulièrement l'accent sur chaque détail jusqu'à arriver à obtenir le meilleur produit.

Expérience

Chez **CATA**, nous effectuons des recherches en continu. Nous utilisons des composants de première qualité et les dernières techniques de fabrication pour obtenir les produits les plus avancés du marché au niveau technologique. La forte expérience dans les processus de création, de développement et de fabrication sont les piliers sur lesquels s'appuie l'excellente efficacité, qualité et fiabilité de nos produits.

Efficacité Énergétique. Environnement

Chez **CATA**, nous disposons d'un engagement envers l'environnement et nous pensons que votre cuisine peut être un exemple d'efficacité énergétique. Notre moteur exclusif équipé de la technologie Brushless qui se passe des brosses en graphite traditionnelles, éliminant ainsi le frottement et prolongeant la vie utile du moteur en est un excellent exemple. Nous arrivons ainsi proposer les moteurs les plus silencieux du marché avec une économie énergétique de jusqu'à 84% si on les compare à des moteurs équivalents.

Notre brevet, un nouveau système de nettoyage aQuaSmart® par eau très efficace, intégré dans la nouvelle gamme des fours **CATA**, constitue un autre exemple manifeste d'efficacité énergétique. Il s'agit d'une nouvelle technologie comportant d'importantes économies d'énergie

EL CELLER DE CAN ROCA
THE BEST RESTAURANT IN THE WORLD

The prestigious British magazine **RESTAURANT**, which publishes the ranking of the 50 best restaurants in the world every year, has named **El Celler de Can Roca**, run by the brothers Joan, Josep and Jordi Roca, as **the best restaurant in the world.**

With this award, **El Celler de Can Roca** reaches the peak of world cuisine. In 2011 and 2012, the perfect combination of jobs well done by the three Roca brothers – Joan, Josep and Jordi – made **El Celler de Can Roca** the second best restaurant in the world.

In 2013, the brothers finally achieved the well-deserved reward of being considered the best restaurant in the world.

El Celler de Can Roca is permanently committed to avant-garde cooking, without forgetting the memory of the family's ancestors.

We feel proud of working together with the Roca brothers on developing the exclusive **"Cata & Can Roca"** product range. This successful relationship began in order to create products to maintain the high standard of Spanish cuisine.

At **CATA** we have the privilege of having the collaboration of the Roca brothers in the development of the exclusive **Cata & Can Roca** collection, a unique range of products with which we intend to offer the highest standards of excellence for the most demanding kitchen users. To achieve this, we have decorative island hoods with a careful modern design, offering maximum energy efficiency, adjustable-intensity LED lighting and maximum efficiency and low-consumption Brushless motor with minimum sound powers. Induction hobs, including our Giga 750 model, with which you can enjoy the largest cooking zone on the market measuring up to 40 cm in diameter. Ovens and microwaves with the latest technology for perfect integration into your kitchen.

For further information you can contact:
web **www.cnagroup.com.es/gama-can-roca**
or call **902 41 04 50**

Thanks to Cata's collaboration with the Roca brothers, it has been possible to develop this range of products offering the highest levels of excellence for those who see cooking as a unique experience.

Le CELLER DE CAN ROCA
LE MEILLEUR RESTAURANT DU MONDE

Le prestigieux magazine britannique **RESTAURANT** qui publie tous les ans le classement des 50 meilleurs restaurants du monde, a nommé Meilleur restaurant du monde le **Celler de Can Roca**, qui est dirigé par les trois frères Joan, Josep et Jordi Roca.

Avec ce prix, **le Celler de Can Roca** a atteint l'échelon le plus élevé de la cuisine au niveau mondial. En 2011 et en 2012, la parfaite association de l'excellent travail des trois frères Roca - Joan, Josep et Jordi - a placé **le Celler de Can Roca** au rang de deuxième meilleur restaurant du monde.

Ils obtiennent enfin en 2013 le prix plus que mérité : on décerne au Celler le titre de meilleur restaurant du monde.

Il existe au **Celler de Can Roca** un compromis permanent entre la cuisine d'avant-garde, et la volonté de ne pas renoncer à la mémoire des prédécesseurs dans leur famille.

Nous sommes fiers de collaborer avec les frères Roca dans le développement de la gamme exclusive des produits **"Cata et Can Roca".** Cette relation réussie est née avec l'objectif de créer des produits visant à maintenir le haut niveau de la Cuisine Espagnole.

Chez **CATA**, nous avons le privilège de disposer de la collaboration des frères Roca dans le développement de la gamme **Cata & Can Roca**, une gamme originale de produits avec laquelle nous souhaitons proposer l'excellence pour les utilisateurs les plus exigeants. Nous vous proposons pour cela les hottes en îlot et les hottes décoratives au design moderne et soigné. Elles proposent une économie énergétique maximale, l'éclairage par led à intensité modulable et disposent d'un moteur Brushless avec excellent rendement, faible consommation et niveau sonore minimum. Des plaques de cuisson à induction, parmi lesquelles vous trouverez notre modèle Giga 750. Ce modèle vous permet de profiter de la zone de cuisson la plus grande du marché (jusqu'à 40 cm de diamètre). Des fours et des fours micro-ondes avec les dernières technologies pour une parfaite intégration dans la cuisine.

Pour plus d'informations, vous pouvez visiter notre site :
web **www.cnagroup.com.es/gama-can-roca**
ou appeler le **(00 34) 902 41 04 50**

La collaboration avec les frères Roca nous a permis de développer cette gamme de produits proposant l'excellence à ceux pour qui la cuisine est une expérience unique.

A Kitchen with Solutions

For its innovation, technology, design, quality and guarantees, your **CATA** kitchen will be the centre of attention; we offer you a wide range of options and products that will help you get the best from your kitchen.

In the products we design, manufacture and distribute, our aim is to offer our customers unique experiences and slices of life, always trying to be as environmentally friendly as possible and achieving a considerable reduction in domestic energy consumption.

CATA, a company with more than 65 years of history – 100% Spanish, with a presence at world level. Ever since we began, we have designed, developed and manufactured a large proportion of our products in our Spanish factory, which has allowed us to adapt our range to the needs of the domestic market.

CATA EXPERIENCE & QUALITY:
Enjoying the art of cooking

Thanks to our knowledge of the market and closeness to customers, the proven quality of our products and their ease of use and efficiency, we are convinced that you will enjoy the art of cooking in your **CATA** kitchen.

The various finishes and careful design of our products will create perfect harmony and symmetry in your **CATA** kitchen. Their design, and the fact that they are so simple to use and easy to clean, will mean you will enjoy preparing your favourite dishes.

In our catalogue, you will find...
CATA hoods, offering maximum extraction power of up to 820 m3/h and a minimum sound level of 47 dB(A), which means you can have a kitchen free of smoke and noise.

Our **CATA hobs** (induction, vitroceramic or gas), which will give you speed, precision, versatility and safety in your everyday cooking.
CATA ovens, manufactured with the most advanced technology and the latest components. They stand out because of their design, innovation, energy efficiency and maximum safety. In our range of models, you will find ovens with different finishes, large-volume cavities up to 70 litres, and pyrolytic function or our new, effective, patented cleaning system: **aQuaSmart®**.

The new oven models offer an XXL-volume cavity while maintaining standard exterior measurements: ideal for large families or for anyone who is looking to get the best from their oven, allowing you to cook more than one dish at a time.
We have developed an innovative system to make efficient oven cleaning easier with minimum effort, always thinking of the customer's convenience.

aQuaSmart®

We incorporate a special enamel into the oven cavity which, together with our exclusive **aQuaSmart system**, prevents grease and food debris becoming encrusted on the walls during cooking, cleaning the inside with steam in just 15 minutes, with the consequent energy saving, while also offering greater protection for the surrounding kitchen units.

CATA sinks and taps harmonise perfectly in the kitchen. We offer you a programme with elegant finishes and the best functionality.



Une Cuisine pleine de Solutions
Grâce à son innovation, sa technologie, sa conception, sa qualité et sa garantie, votre cuisine **CATA** attirera tous les regards ; nous vous proposons un vaste éventail de possibilités et de produits qui vous permettront de maximiser l'usage de votre cuisine.

L'objectif des produits que nous concevons, fabriquons et distribuons est d'offrir des expériences et des expériences uniques à nos clients. Par ailleurs, nous respectons toujours au maximum l'environnement en parvenant à une importante réduction de la consommation énergétique des ménages.

CATA est une entreprise avec plus de 65 ans d'histoire. C'est une entreprise espagnole à 100% présente dans le monde entier. Depuis nos débuts, nous avons conçu, développé et fabriqué une grande partie de l'ensemble de nos produits dans notre usine en Espagne. Cela nous a permis de pouvoir adapter notre offre aux besoins du marché national.

EXPÉRIENCE ET QUALITÉ CATA :
Prendre plaisir dans l'art de cuisiner
Grâce à la connaissance que nous avons du marché, à la proximité par rapport à nos clients, à l'excellente qualité de nos produits, à la facilité d'utilisation et à leur efficacité, nous sommes convaincus que vous prendrez plaisir à cuisiner dans votre cuisine CATA.

Les finitions variées et le design soigné de nos produits créeront une harmonie et une symétrie parfaites dans votre cuisine CATA. Grâce à son design, son extraordinaire simplicité d'utilisation et son entretien facile, vous prendrez plaisir à préparer vos plats préférés.

Dans notre catalogue vous découvrirez...
Les **Hottes CATA** proposent une puissance d'extraction maximale allant jusqu'à 820m3/h et un niveau sonore minimum de 47 dB (A), qui vous permet-

tra de profiter d'une cuisine sans fumées silencieuse.
Nos **plaques de cuisson CATA** (induction, vitrocéramique ou gaz) vous fourniront rapidité, précision, versatilité et sécurité au quotidien.
Les **Fours CATA** sont fabriqués avec la technologie la plus avancée et les composants dernier cri. Ils se distinguent de par leur conception, leur innovation, leur efficacité énergétique et la sécurité maximale qu'ils proposent. Dans notre vaste gamme de modèles, vous trouverez des fours avec des finitions variées, des capacités à grand volume allant jusqu'à 70 litres, équipés de la fonction pyrolyse ou de notre nouveau système de nettoyage efficace breveté **aQuaSmart®**

Les nouveaux modèles de fours proposent une très grande capacité XXL, en conservant des mesures extérieures standard. C'est l'idéal pour les familles nombreuses ou pour ceux qui cherchent à optimiser leur four en faisant cuire plus d'un plat à la fois.

Nous avons développé un système innovateur pour faciliter le nettoyage du four avec le moins d'efforts possibles et de façon efficace, en pensant toujours au confort du client.
L'intérieur de nos fours est recouvert d'un émail spécial qui, allié à notre système exclusif **aQuaSmart**, évite que la matière grasse et les restes de nourriture s'incrustent sur les parois pendant la cuisson. Le nettoyage de l'intérieur du four est effectué avec de la vapeur d'eau en à peine 15 minutes, avec l'économie énergétique conséquente. Ce système permet en outre d'assurer une meilleure protection des meubles se trouvant tout autour.

Les **Éviers et les Robinets CATA** entrent parfaitement en harmonie dans votre cuisine. Nous mettons à votre disposition un programme avec d'élégantes finitions et une fonctionnalité optimale.



HOODS
HOTTES

HOODS

ISLANDS cata & Can Roca

ZINNIA ISLAND p20

MELINA BK ISLAND p21

MELINA WH ISLAND p22

MELINA SD ISLAND p23

DECORATIVE ISLANDS

MOON ISLAND p28

HIDRA ISLAND p28

FARO ISLAND p28


THALASSA ISLAND p29

SELENE ISLAND p29


SYGMA ISLAND p29


GAMMA ISLAND p30

VEGA ISLAND p30

L ISLAND p30

CORNER HOODS


ANGOLO BOX p31


ANGOLO p31

SILENT SPLIT TECHNOLOGY ISLANDS

ISLA MELINA BK
SILENT SPLIT p34

ISLA MELINA WH
SILENT SPLIT p34

ISLA SELENE
SILENT SPLIT p34

DECORATIVE cata & Can Roca

AURA BK p40

AURA WH p41

AURA SD p42


DALIA BK p44


DALIA WH p45

ZINNIA p47

DECORATIVE


ARTE BK p50


ARTE WH p50

ATLAS BK p51

ATLAS WH p51

THALASSA SD p52

THALASSA WH p52


THALASSA BK p53

THALASSA 1200 BK p53


PODIUM BK p54

PODIUM WH p54

ADARI BK p55

ADARI WH p55


CERES BK p56

CERES WH p56

VENERE p57

PLANET BK p57

HOODS

DECORATIVE

SELENE p58


MIDAS WH p58

MIDAS BK p58


SYGMA p60

S p60

SN p60

CHORUS p61


GAMMA p61


C GLASS H p61

C GLASS H BK p62

C GLASS p62

CN GLASS p62


NEBLIA p63

NEBLIA BK p63

NEBLIA WH p63


NEBLIA ABK p64


NEBLIA AWH p64


NEBLIA IVORY p64

CLASICA BK p65


CLASICA WH p65


BETA p65

OMEGA p66

OMEGA WH p66

OMEGA BK p66

V p67

V WH p67

VN p67

DECORATIVE SILENT SPLIT TECHNOLOGY



THALASSA BK
SILENT SPLIT p70

THALASSA WH
SILENT SPLIT p70



SYGMA
SILENT SPLIT p71

INSERTS

GC DUAL WH p74

GC DUAL BK p74

GL p75

GT PLUS p75

TELESCOPIC

TF 6600 DURALUM p78

TF 2003 DURALUM p78

TF 3600 WH p78

TF 3600 BK p79

TF 2003 SD p80

TF 2003 GWH p79

TF 2003 GBK p80

TF 5250 GWH p80

TF 5250 GBK p80

TF p81

TF WH p81

CONVENTIONAL

F p82

F WH p82

F 90 p83



P p83

ISLAND HOODS

CATA has a wide range of **island hoods** that adapt perfectly to the design of your kitchen. The wide variety of models available, in terms of measurements, shape and finish, will allow you to find the best solution to meet your needs.

HOTTES **ÎLOTS**

CATA dispose d'une vaste gamme de **Hottes îlots** qui s'adaptent parfaitement au design de votre cuisine. Grâce à la grande variété de modèles disponibles, tant au niveau des mesures, des formes ou des finitions, vous pourrez trouver la meilleure solution s'adaptant à vos besoins.

ISLANDS

cata & Can Roca

Brushless technology

Minimum energy consumption The most efficient hoods on the market: Energy Class A*

Easy-clean internal shielding

Great extraction capacity and minimum sound powe

Sequential electronic panel & adjustable-intensity LED lighting

Exclusive finishes. New Sand collection

BRUSHLESS energy

ECO POWER + SILENT

* According to European standard EN 61591:1997 / A11: 2014 which will come into force on January 1, 2015

The most efficient hoods on the market: Energy Class A*

The use of the latest-technology Brushless motor, developed by **CATA**, and LED lighting means the energy consumption of these hoods is the lowest on the market. They use just **100 W** with maximum power and lighting.

Quiet, large-capacity motors

The latest-**technology Brushless** motors do away with the traditional graphite brushes, eliminating friction and extending the useful life of the motor. That way we get the quietest motors on the market. Thanks to the **CATA** team's continuous research and development effort, we have managed to create the quietest hoods on the market. In **CATA** products, silence is not at odds with power, and Cata & Can Roca hoods offer great extraction power of up to **740 m³/h**.

Sequential electronic panel & adjustable-intensity LED lighting

The exclusive **slider control panel** gives you elegance and simplicity when it comes to using your hood effectively and conveniently. It offers 10 levels of power, allowing you to obtain the ideal extraction power at all times, adapting extraction to whatever kind of cooking you are doing. Thanks to this kind of touch control, you can control and adjust the extraction power with just one finger. In addition, unlike many competitors' products, ours allow you to use and adjust the intensity of the light with the hood on or off, giving your kitchen ambient lighting. It also offers the timer function, allowing the hood to be turned off whenever the user wants, and it has a filter saturation warning light that lets you know when they need cleaning.

THE QUIETEST ON THE MARKET

The latest generation **Brushless** motors offer excellent performance and minimum sound powers.

MAXIMUM ENERGY SAVING



Energy saving of up to 84%. Maximum efficiency at all speeds. 100 W consumption at maximum speed and just 10 W at level 1.

EXCELLENT PERFORMANCE



The pressure and flow levels shown by the **Brushless** motor guarantee its efficiency, even in facilities requiring a longer discharge.

Exclusive finishes. New Sand collection

The exclusive **Cata & Can Roca** collection stands out in your kitchen, offering you perfect harmony. With the **Cata & Can Roca** product range, you will get an innovative designer kitchen thanks to the use of black, white or the exclusive sand colour glass in hoods and hobs.

New Sand Collection

Easy-clean internal shielding

The internal shielding of the hoods shows a smooth, hermetic design, preventing grease getting into the motor, reducing the sound power and making cleaning easier, thanks to a compact, smooth, corner-free interior. This shielding also provides greater safety because it prevents direct contact with the motor and the electrical circuit.

ÎLOTS CATA et CAN ROCA
Technologie Brushless
Consommation Énergétique Minimale. Les hottes les plus efficaces du marché: classe énergétique A
Blindage intérieur à nettoyage facile
Grande capacité d'Extraction et niveau sonore Minimum
Panneau Électronique séquentiel et Éclairage par LED à intensité variable
Finitions uniques. Nouvelle collection Sand

Les hottes les plus efficaces du marché: classe énergétique A
Grâce à l'utilisation du moteur à dernière technologie Brushless développée par CATA et à l'éclairage par LED, la consommation énergétique de ces hottes est la plus basse du marché, avec une consommation d'à peine 100W à puissance d'extraction et d'éclairages maximales.

Moteurs Silencieux et à grande capacité
Les moteurs de la dernière technologie Brushless se passent des traditionnelles brosses au graphite. Ils éliminent le frottement, prolongent la vie utile du moteur. Nous arrivons ainsi à obtenir les moteurs les plus silencieux du marché. Grâce à l'effort permanent de recherche et de développement de l'équipe de CATA, nous sommes parvenus à créer les hottes les plus silencieuses du marché. Dans les produits CATA, il n'y a pas de conflit entre le silence et la puissance. Par ailleurs, les hottes CATA et Can Roca proposent une grande puissance d'extraction de jusqu'à 740 m^3/h.

Panneau Électronique séquentiel et Éclairage par LED à intensité variable
Notre panneau de contrôle unique slider fournit élégance et simplicité lorsqu'il s'agit de pouvoir utiliser de façon efficace et pratique votre hotte. Il propose 10 niveaux de puissance qui vous permettront d'utiliser la puissance d'extraction adaptée à chaque moment. Les niveaux d'extraction s'adapteront à chaque type de cuisson. Grâce à ce type de commande tactile, vous pourrez contrôler et régler la puissance d'extraction d'un seul doigt. Par ailleurs, contrairement à de nombreux concurrents, vous pourrez utiliser et régler l'intensité de la lumière que la hotte soit allumée ou éteinte. Vous pourrez ainsi profiter d'une lumière d'ambiance dans votre cuisine. La commande propose également la fonction temporisateur permettant l'extinction de la hotte quand l'utilisateur le souhaite. Elle est également équipée d'un avertisseur de saturation de filtres vous informant s'ils doivent être nettoyés.

LE PLUS SILENCIEUX DU MARCHÉ
La dernière génération "Brushless" propose un excellent rendement et un niveau sonore minimum.
ÉCONOMIE ÉNERGÉTIQUE MAXIMALE
Économie énergétique de jusqu'à 84%. Efficacité Maximale à toutes les vitesses. Consommation de 100 W à la vitesse maximale et de seulement 10 W au niveau 1.
EXCELLENTES PRESTATIONS
Les niveaux de pression et de débit que le moteur "brushless" enregistre garantissent leur efficacité même dans des installations ayant besoin d'une plus grande longueur de décharge.

Finitions uniques. Nouvelle collection Sand
La collection exclusive CATA et Can Roca sort du lot et propose une parfaite harmonie dans votre cuisine. Avec la gamme de produits CATA et Can Roca, vous profiterez d'une cuisine design et innovante grâce au verre coloré (Noir, Blanc ou notre couleur exclusive Sand (sable)) utilisé dans les hottes et les Plaques de cuisson.

Blindage intérieur à nettoyage facile
Le blindage de l'intérieur des hottes est lisse et hermétique. Il évite ainsi que les matières grasses pénètrent dans le moteur, réduisant le niveau sonore et facilitant le nettoyage grâce à un intérieur compact, lisse et sans coins. En outre, ce blindage propose une sécurité accrue, car il évite le contact direct avec le moteur et le circuit électrique.

ZINNIA ISLAND



Shielded panel

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet mode:** minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Large suction area
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **black glass** and stainless steel for easy cleaning, inside and out
- **Robust** installation with **adjustable** height
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO POWER + SILENT BRUSHLESS energy

LED 4x2,9W adjustable intensity

Sequential electronic control and timer

Filter cleaning indicator



A

Zinnia Island
Code **02197410**
EAN Code **8422248059312**

90 cm

MELINA BK ISLAND

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet mode:** minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **black glass** and stainless steel for easy cleaning, inside and out
- **Robust** installation with **adjustable** height
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO POWER + SILENT BRUSHLESS energy

LED 6x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator



A

Melina BK Island
Code **02119410**
EAN Code **8422248054607**

62 cm

MELINA WH ISLAND

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet mode:** minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **white glass** and stainless steel for easy cleaning, inside and out
- **Robust** installation with **adjustable** height
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO POWER + SILENT BRUSHLESS energy

LED 6x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter Extraction

Filter cleaning indicator



A

Melina WH Island
Code **02119010**
EAN Code **8422248054591**

62 cm

MELINA SD ISLAND

New Sand Collection

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet mode:** minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **sand glass** and stainless steel for easy cleaning, inside and out
- **Robust** installation with **adjustable** height
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO POWER + SILENT BRUSHLESS energy

LED 6x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter Extraction

Filter cleaning indicator



A

Melina SD Island
Code **02119600**
EAN Code **8422248059336**

62 cm

DECORATIVE **ISLANDS**

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Active Charcoal Washable Filters
Installation system with height adjustment

Large extraction capacity

Thanks to the advanced manufacturing technology, the components used and the design of the models, we can offer the most efficient hoods on the market, ensuring the greatest strength and quality. In its current models, **CATA** offers extraction capacity of up to 820 m^3/h..

Minimum sound power



When looking for a hood, we always seek maximum extraction with the minimum sound power. These are two of the main priorities when buying a hood. At **CATA**, we are proud to be able to offer you extra-quiet hoods thanks to the materials used, soundproofing tests and, above all, our experience acquired over years in the world of extraction that has made us the market leader.

CATA publishes its measurements in accordance with the requirements established in the European Standard UNE EN 61591 in a typical installation, with a pressure shut-off of 5 Pa or 15 Pa depending on the model's outlet diameter.

High-quality, washable filters

To achieve good air filtering, we must ensure the proper installation of the extraction conduits, minimise the number of elbow joints and avoid reducing the conduit diameter, as well as making sure the hood has quality filters.

The filters in **CATA** hoods are made up of multiple layers of aluminium that prevent particles and grease from getting

Washable active carbon filter for recirculating extractor hoods.

through. They are easily dismantled and can be cleaned in the dishwasher. We advise cleaning filters at least once a month.
For proper extraction, in most of our hoods we incorporate a filter cleaning indicator, ensuring they stay well maintained and efficient.
All hoods in a recirculating extraction system (without external outlet) incorporate washable active carbon filters that purify the air, removing bad smells.

Installation system with height adjustment

CATA has structures and installation systems allowing safe fixing and an adjustable-height installation, even in the heaviest models.

ÎLOTS DÉCORATIFS
La hotte qui s'adapte le mieux à vos besoins de par sa conception, son rendement ou son esthétique.

Grande capacité d'Extraction
Niveau sonore Minimum
Filtres à charbon actif lavables
Système d'installation avec réglage en hauteur

Grande capacité d'Extraction
Grâce à la technologie de pointe dans la fabrication, aux composants utilisés et au design de nos modèles, nous sommes en mesure de proposer les hottes les plus efficaces du marché. Nous pouvons également garantir une résistance accrue et une meilleure qualité. CATA propose dans ses modèles actuels une capacité d'extraction allant jusqu'à 820m^3/h.

Niveau sonore Minimum
Lorsqu'il s'agit de choisir une hotte, on est toujours à la recherche d'une extraction maximale et d'un niveau sonore minimum. Il s'agit là des deux principales priorités pendant l'achat d'une hotte. Chez CATA, nous sommes fiers de pouvoir offrir des hottes extrêmement silencieuses grâce aux matériaux que nous utilisons, aux tests d'insonorisation et surtout à l'expérience que nous avons acquise pendant des années dans le domaine de l'extraction. Cela nous a permis de devenir une entreprise leader sur le marché.
Les mesures publiées par Cata sont conformes auxconditions requises par la Norme Européenne UNE EN 61591 dans une installation type, avec une pertede pression de 5 Pa ou 15 Pa selon le diamètre de sortie du modèle.

Filtres d'excellente qualité lavables
Pour obtenir un bon filtrage de l'air, il faut assurer une bonne installation des conduites d'extraction, réduire au minimum le nombre des coudes et éviter les réductions du diamètre de la conduite. Il faut également que la hotte dispose de filtres de qualité.
Les filtres des hottes CATA sont constitués par des couches d'aluminium multiples qui empêchent le passage des particules et des graisses. Ils se démontent facilement et peuvent être nettoyés dans le lave-vaisselle. Nous vous conseillons de nettoyer les filtres au moins une fois par mois.
Pour une bonne extraction, la plupart de nos hottes sont équipées d'un indicateur de propreté des filtres, qui garantit la maintenance et l'efficacité.
Toutes les hottes à système d'extraction à recirculation (sans issue d'air vers l'extérieur) sont équipées de filtres à charbon actif lavables qui parviennent à purifier l'air en éliminant les mauvaises odeurs.

Système d'installation avec réglage en hauteur
CATA dispose de structures et de systèmes d'installation facilitant une fixation sûre ainsi que le réglage en hauteur de l'installation, même pour ses modèles les plus lourds.

Filtre à Charbon Actif lavable pour hottes d'extraction à recirculation.

DECORATIVE **ISLANDS**

Large extraction capacity
Minimum sound power
Active Charcoal Washable Filters
Installation system with height adjustmen

MOON ISLAND

Halogens 3 x 35W | TC 3V Touch Control | Filter cleaning indicator | Washable | Perimeter Extraction

- **Touch control panel** with timer
- 3 extraction levels
- Maximum air flow: **1115 m³/h**
- Minimum sound power: **48 dB(A)**, maximum: 61dB(A)
- BT2 motor, maximum energy consumption **200 W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Filter cleaning indicator light
- Easy installation system
- Recirculation operation
- **Dishwasher-washable active carbon filters**
- Finished in stainless steel and white glass
- Max. pressure 400 Pa
- 150 mm discharge



MOON ISLAND
Code **02119200**
EAN Code **8422248051958**
40 cm

HIDRA ISLAND

Halogens 3 x 35W | TC 3V Touch Control | Filter cleaning indicator | Washable | Perimeter Extraction

- **Touch control panel** with timer
- 3 extraction levels
- Maximum air flow: **1115 m³/h**
- Minimum sound power: **48 dB(A)**, maximum: 61dB(A)
- BT2 motor, maximum energy consumption **200 W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Filter cleaning indicator light
- Easy installation system
- Recirculation operation
- **Dishwasher-washable active carbon filters**
- Finished in stainless steel and white glass
- Max. pressure 400 Pa
- 150 mm discharge



HIDRA ISLAND
Code **02119201**
EAN Code **8422248051965**
50 cm

FARO ISLAND

Halogens 3 x 35W | Electronic panel | Perimeter Extraction

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **48 dB(A)**, maximum: 63dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- Perimeter suction system
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel and glass
- Max. pressure 405 Pa
- 150/125 mm discharge



FARO ISLAND
Code **02119307**
EAN Code **8422248054584**
40 cm

decorative islands

THALASSA ISLAND

Halogens 2 x 35W · TC 3V Touch Control · Filter cleaning indicator · Perimeter Extraction

- **Touch control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Filter cleaning indicator light
- Easy installation system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



THALASSA ISLAND 90 cm
Code **02199400**
EAN Code **8422248051576**

SELENE ISLAND

Halogens 2 x 50W · TC 3V Touch Control

- **Touch control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Filter cleaning indicator light
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel and black glass and **back light logo**
- Max. pressure 405 Pa
- 150/125 mm discharge



SELENE ISLAND 90 cm
Code **02097301**
EAN Code **8422248054874**

SYGMA ISLAND

Halogens 2 x 50W (modelo 900) · Halogens 4 x 35W (modelo 1200) · Electronic panel

- **Touch control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Filter cleaning indicator light
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 405 Pa
- 150/125 mm discharge



SYGMA 900 ISLAND 90 cm
Code **02197309**
EAN Code **8422248048644**

SYGMA 1200 ISLAND 120 cm
Code **02198006**
EAN Code **8422248048651**

DECORATIVE **ISLANDS**

Large extraction capacity
Minimum sound power
Active Charcoal Washable Filters
Installation system with height adjustmen

GAMMA ISLAND

Halogens 4 x 50W | Electronic panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow: **1150 m³/h**
- Minimum sound power: **59 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel and glass
- Max. pressure 430 Pa
- 150/125 mm discharge

VEGA ISLAND

Halogens 4 x 50W | Electronic panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 405 Pa
- 150/125 mm discharge

L ISLAND

Halogens 2 x 50W | Mechanical push button

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow: **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel and glass
- Max. pressure 430 Pa
- 150/125 mm discharge







ISLA GAMMA 90 cm
Code **02025201**
EAN Code **8422248048101**

ISLA VEGA 60 cm
Code **02119306**
EAN Code **8422248048668**

ISLA L 90 cm
Code **02190301**
EAN Code **8422248005418**

corner hoods

ANGOLO BOX

Halogens 2 x 50W

Electronic panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm discharge



ANGOLO BOX
Code **02195306**
EAN Code **8422248048637**

100 cm

ANGOLO

Halogens 2 x 50W

Electronic panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow: **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240 W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm discharge



ANGOLO
Code **02195305**
EAN Code **8422248048620**

100 cm

SILENT SPLIT TECHNOLOGY ISLANDS

Silent solutions. "Silent-split" technology makes it possible to reduce the sound power by up to 70%

Maximum quietness: 39 dB(A)
Easy to install
Cable or wireless connection

At **CATA** we have created the quietest hoods on the market using a system of remote extraction where the motor is located either on in the ceiling or in a false ceiling instead of being inside the hood. This reduces noise because the motor is outside the room.

Easy to install

Both the ceiling motor (exterior silent split) system and the false ceiling motor (in-line silent split) systems have been designed to be easy to install, even in existing homes with minimal modifications to the established conditions.

Cable or wireless connection

The operation and control of the hood are no different to those of a standard hood. Each of the extraction functions is activated from the hood and it communicates with the motor by cable or using a wireless system with a maximum range of 25 metres



In-line solution.
Adaptable to any installation

In-line silent split is the completely silent solution with which the hood is installed, without its motor, in the cooking area. This extracts smell and smoke from the kitchen while the hood motor is installed behind a **false ceiling**. The outside motor installation does not mean a loss of flow, reaching extraction levels of 660m³/h.
Silent Split in-line est la solution totalement silencieuse avec laquelle la hotte sans moteur est installée dans la zone de cuisson. Cette dernière extrait les odeurs et la fumée de la cuisine, alors que le moteur de la hotte est installé dans le **faux plafond**. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 660m³/h.



Exterior silent split is the completely silent solution with which the hood is installed, without its motor, in the cooking area. It extracts smell and smoke from the kitchen, while the cover, including the motor, **is installed in a flue in the ceiling**. The outside motor installation does not mean a loss of flow, reaching extraction levels of 660m3/h.

Silent Split extérieur est la solution totalement silencieuse où la hotte sans moteur est installée dans la zone de cuisson. Elle extrait les odeurs et la fumée de la cuisine, alors que le chapeau incluant le moteur se **trouve dans une cheminée sur le toit du logement**. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 660m³/h.





The installation of the hood and the motor, and communication between the two of them, are really easy. As can be seen in the pictures, the motor is installed in the extraction conduit in 4 simple steps.

L'installation de la hotte et du moteur ainsi que la communication entre les deux éléments est vraiment simple. Comme vous pouvez voir sur les images, le moteur est installé dans la conduite d'extraction en 4 étapes simples.

ÎLOTS SILENT SPLIT TECHNOLOGY

Solutions Silencieuses. La technologie "silent-split" permet de réduire le niveausonore de la cuisine de jusqu'à 70%

Silence maximum: 39 dB (A)

Installation Facile

Connexion par câble ou sans fil

Chez **CATA**, nous avons créé les hottes les plus silencieuses du marché avec le système d'extraction distant, où le moteur est installé sur le toit du logement ou dans le faux plafond, plutôt que dans la hotte. Le bruit est ainsi réduit étant donné que le moteur se trouve en dehors de la pièce.

Installation Facile

Qu'il s'agisse des systèmes où le moteur est installésur le toit (modèles Silent Split Exterior) ou des systèmesavec installation dans le faux plafond (Silent SplitIn-line), il ont tous été conçus pour que leur installation soit simple, même dans des logements déjà achevés, en modifiant au minimum les conditions existantes.

Connexion par câble ou sans fil

Le fonctionnement et le contrôle de la hotte ne supposent aucun changement par rapport à une hotte standard. Toutes les fonctions d'extraction sont activées depuis la hotte et la communication avec le moteur est effectuée par câble ou par fréquence radio, avec une portée maximale de 25 mètres.

SILENT SPLIT TECHNOLOGY ISLANDS

Silent solutions. "Silent-split" technology makes it possible to reduce the sound power by up to 70%

Maximum quietness: 39 dB(A)
Easy to install
Cable or wireless connection

MELINA BK SILENT **SPLIT ISLAND**

Halogens 4 x 50W | TC 3V Touch Control | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow: **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 225 Pa
- 150/200 mm discharge



ISLA MELINA BK, SILENT SPLIT **IN-LINE**, 62 cm
Code **02119409**
EAN Code **8422248054744**

ISLA MELINA BK, SILENT SPLIT **ROOF-MOUNT**, 62 cm
Code **02119408**
EAN Code **8422248054751**

MELINA WH SILENT **SPLIT ISLAND**

Halogens 4 x 50W | TC 3V Touch Control | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow: **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in white glass
- Max. pressure 225 Pa
- 150/200 mm discharge



ISLA MELINA WH, SILENT SPLIT **IN-LINE**, 62 cm
Code **02119009**
EAN Code **8422248054720**

ISLA MELINA WH, SILENT SPLIT **ROOF-MOUNT** 62 cm
Code **02119008**
EAN Code **8422248054737**

SELENE SILENT **SPLIT ISLAND**

Halogens 2 x 50W | TC 3V Touch Control | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow: **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel and black glass
- Max. pressure 225 Pa
- 150/200 mm discharge



ISLA SELENE, SILENT SPLIT **IN-LINE**, 90 cm
Code **02197009**
EAN Code **8422248054775**

ISLA SELENE, SILENT SPLIT **ROOF-MOUNT**, 90 cm
Code **02197008**
EAN Code **8422248054768**

DECORATIVE **HOODS**

In the wide range of decorative **CATA** hoods you will be able to find different models with the most painstaking designs and best performance on the market. We are convinced users will be able to find the hood best suited to their needs in terms of design, performance and good looks. We offer you everything necessary to make your hood an element with a big presence in your kitchen.

HOTTES DÉCORATIVES

Dans la vaste gamme de hottes décoratives **CATA**, vous trouverez des modèles variés avec les formes les plus soignées et les meilleures prestations du marché. Nous sommes persuadés que tous les utilisateurs pourront trouver la hotte s'adaptant le mieux à leurs besoins aussi bien en termes de conception, de rendement que d'esthétique. Nous vous offrons tout ce dont vous avez besoin pour que votre hotte soit un élément avec beaucoup de présence dans votre cuisine.

Brushless technology

Minimum energy consumption The most efficient hoods on the market: Energy Class A*

Easy-clean internal shielding

Great extraction capacity and minimum sound powe

Sequential electronic panel & adjustable-intensity LED lighting

Exclusive finishes. New Sand collection

Direct suction anti-condensation auxiliary filters

Front panels with 3 opening systems

BRUSHLESS energy

* According to European standard EN 61591:1997 / A11: 2014 which will come into force on January 1, 2015

The most efficient hoods on the market: Energy Class A*

The use of the latest-**technology Brushless** motor, developed by **CATA**, and LED lighting means the energy consumption of these hoods is the lowest on the market. They use just **100 W** with maximum power and lighting.

Quiet, large-capacity motors

The latest-**technology Brushless** motors do away with the traditional graphite brushes, eliminating friction and extending the useful life of the motor. That way we get the quietest motors on the market. Thanks to the **CATA** team's continuous research and development effort, we have managed to create the quietest hoods on the market. In **CATA** products, silence is not at odds with power, and **Cata & Can Roca** hoods offer great extraction power of up to **740 m^3/h**.

Sequential electronic panel & adjustable-intensity LED lighting

The exclusive **slider control panel** gives you elegance and simplicity when it comes to using your hood effectively and conveniently. It offers 10 levels of power, allowing you to obtain the ideal extraction power at all times, adapting extraction to whatever kind of cooking you are doing. Thanks to this kind of touch control, you can control and adjust the extraction power with just one finger. In addition, unlike many competitors' products, ours allow you to use and adjust the intensity of the light with the hood on or off, giving your kitchen ambient lighting. It also offers the timer function, allowing the hood to be turned off whenever the user wants, and it has a filter saturation warning light that lets you know when they need cleaning.

Exclusive finishes. New Sand collection

The exclusive **Cata & Can Roca** collection stands out in your kitchen, offering you perfect harmony. With the **Cata & Can Roca** product range, you will get an innovative designer kitchen thanks to the use of black, white or the exclusive sand colour glass in hoods and hobs.

New Sand Collection

Easy-clean internal shielding

The internal shielding of the hoods shows a smooth, hermetic design, preventing grease getting into the motor, reducing the sound power and making cleaning easier, thanks to a compact, smooth, corner-free interior. This shielding also provides greater safety because it prevents direct contact with the motor and the electrical circuit.

Direct suction anti-condensation auxiliary filters

AURA hoods (all versions) incorporate an innovative filter in the base, offering both direct suction and perimeter suction.

Use of this filter allows you greater suction and prevents condensation during the cooking process. These filters are easy to access and clean.

Front panels with 3 opening systems

As well as its smart design and large perimeter extraction area, the new Aura hood is thought out and designed down to the smallest detail. It not only incorporates auxiliary anti-condensation filters, it also includes 3 different levels of opening, allowing you better air extraction depending on the cooking being done, and offering direct or perimeter suction depending on the opening position.



HOTTES CATA et CAN ROCA

Technologie Brushless

Consommation Énergétique Minimale. Les hottes les plus efficaces du marché: classe énergétique A

Blindage intérieur à nettoyage facile

Grande capacité d'Extraction et niveau sonore Minimum

Panneau Électronique séquentiel et Éclairage par LED à intensité variable

Finitions uniques. Nouvelle collection Sand

Filtres auxiliaires anti-condensation à aspiration directe

Panneaux frontaux avec 3 systèmes d'ouverture

Les hottes les plus efficaces du marché: classe énergétique A

Grâce à l'utilisation du moteur à dernière technologie Brushless développée par CATA et à l'éclairage par LED, la consommation énergétique de ces hottes est la plus basse du marché, avec une consommation d'à peine 100W à puissance d'extraction et d'éclairages maximales.

Moteurs Silencieux et à grande capacité

Les moteurs de la dernière technologie Brushless se passent des traditionnelles brosses au graphite. Ils éliminent le frottement, prolongent la vie utile du moteur. Nous arrivons ainsi à obtenir les moteurs les plus silencieux du marché. Grâce à l'effort permanent de recherche et de développement de l'équipe de CATA, nous sommes parvenus à créer les hottes les plus silencieuses du marché. Dans les produits CATA, il n'y a pas de conflit entre le silence et la puissance. Par ailleurs, les hottes CATA et Can Roca proposent une grande puissance d'extraction de jusqu'à 740 m3/h.

Panneau Électronique séquentiel et Éclairage par LED à intensité variable

Notre panneau de contrôle unique slider fournit élégance et simplicité lorsqu'il s'agit de pouvoir utiliser de façon efficace et pratique votre hotte. Il propose 10 niveaux de puissance qui vous permettront d'utiliser la puissance d'extraction adaptée à chaque moment. Les niveaux d'extraction s'adapteront à chaque type de cuisson. Grâce à ce type de commande tactile, vous pourrez contrôler et régler la puissance d'extraction d'un seul doigt. Par ailleurs, contrairement à de nombreux concurrents, vous pourrez utiliser et régler l'intensité de la lumière que la hotte soit allumée ou éteinte. Vous pourrez ainsi profiter d'une lumière d'ambiance dans votre cuisine. La commande propose également la fonction temporisateur permettant l'extinction de la hotte quand l'utilisateur le souhaite. Elle est également équipée d'un avertisseur de saturation de filtres vous informant s'ils doivent être nettoyés.

Finitions uniques. Nouvelle collection Sand

La collection exclusive CATA et Can Roca sort du lot et propose une parfaite harmonie dans votre cuisine. Avec la gamme de produits CATA et Can Roca, vous profiterez d'une cuisine design et innovante grâce au verre coloré (Noir, Blanc ou notre couleur exclusive Sand (sable)) utilisé dans les hottes et les Plaques de cuisson.

Blindage intérieur à nettoyage facile

Le blindage de l'intérieur des hottes est lisse et hermétique. Il évite ainsi que les matières grasses pénètrent dans le moteur, réduisant le niveau sonore et facilitant le nettoyage grâce à un intérieur compact, lisse et sans coins. En outre, ce blindage propose une sécurité accrue, car il évite le contact direct avec le moteur et le circuit électrique.

Filtres auxiliaires anti-condensation à aspiration directe

Les hottes Aura (dans toutes leurs versions) sont équipées d'un nouveau filtre dans leur base. Ce filtre propose aspiration directe et aspiration périmétrale.

L'usage de ce filtre permet d'obtenir une meilleure aspiration et évite la condensation pendant le processus de cuisson. L'accès et le nettoyage de ces filtres sont aisé.

Panneaux frontaux avec 3 systèmes d'ouverture

En plus de son design élégant et de sa grande surface d'extraction périmétrale, la nouvelle hotte Aura a été conçue dans le moindre détail. Non seulement elle est équipée des filtres auxiliaires anti-condensation mais elle dispose en plus de 3 niveaux d'ouverture différents lui permettant une meilleure extraction de l'air en fonction de la cuisson que vous êtes en train d'effectuer. Selon la position de l'ouverture, la hotte propose une aspiration directe ou périmétrale.

AURA BK

Auxiliary filter anti-condensation direct suction

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- **Anti-condensation** filter at bottom
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **black glass** and stainless steel for easy cleaning, inside and out
- Front panel with **3 opening systems**
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator



Accessories:

Black decorative tube - Code 02861401

A

Aura BK 900
Code **02159203**
EAN Code **8422248059282**
90 cm

Aura BK 800
Code **02145200**
EAN Code **8422248059275**
80 cm

AURA WH

Auxiliary filter anti-condensation direct suction

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- **Anti-condensation** filter at bottom
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **white glass** and stainless steel for easy cleaning, inside and out
- Front panel with **3 opening systems**
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO POWER + SILENT BRUSHLESS energy

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator

Accessories:

White decorative tube - Code 02861001



A

Aura WH 900
Code **02159205**
EAN Code **8422248059299**

90 cm

AURA SD

New Sand Collection

Auxiliary filter anti-condensation direct suction

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Perimeter suction system
- **Anti-condensation** filter at bottom
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **sand glass** and stainless steel for easy cleaning, inside and out
- Front panel with **3 opening systems**
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator



Aura SD 900
Code **02159601**
EAN Code **8422248059305**

90 cm

cata & Can Roca

DALIA BK

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**

· large suction surface

- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **black glass** and stainless steel for easy cleaning, inside and out
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO

POWER +

SILENT

BRUSHLESS energy

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator

Accessories:

Black decorative tube - Code 02861401



A

Dalia BK

Code **02178509**

EAN Code **8422248054560**

90 cm

DALIA WH

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- large suction surface
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **white glass** and stainless steel for easy cleaning, inside and out
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO

POWER +

SILENT

BRUSHLESS energy

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Perimeter extraction

Filter cleaning indicator

Accessories:

White decorative tube - Code 02861001



A

Dalia WH

Code **02178109**

EAN Code **8422248054577**

90 cm

cataC & con Roca

ZINNIA



Shielded panel

- **Slider touch control panel with timer**
- **10 extraction levels**
- **BRUSHLESS** motor with **100 W** maximum consumption
- Maximum air flow **1110 m³/h**
- **Extra-quiet** mode: minimum sound power **33 dB(A)** and maximum 59 dB(A)
- High-efficiency **LED** lighting with **adjustable intensity**
- Large suction surface
- Filter cleaning indicator light
- Metal filters washable in dishwasher
- Finished in **black glass** and stainless steel for easy cleaning, inside and out
- **Shielded panel**
- Maximum pressure **375 Pa**
- 150/125 mm discharge

ECO
POWER +
SILENT
BRUSHLESS energy

LED 2x2,9W adjustable intensity

Sequential electronic control and timer

Filter cleaning indicator



A

Zinnia
Code **02175410**
EAN Code **8422248051507**

90 cm

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

Great extraction capacity and silence

CATA hoods offer optimum performance, generating a space free of smoke, smells and noise while also becoming a decorative object in your kitchen. We offer the most efficient hoods on the market, ensuring maximum strength, minimum sound power and maximum quality. In its current models, **CATA** offers minimum sound power from 49 dB(A) and extraction capacity of up to 820 m^3/h.

Adjustable intensity lighting

CATA provides an extensive range of hoods covering a varied range of models in terms of measurements, shapes and finishes, so they can always be perfectly integrated into your kitchen. In the vast majority of decorative hoods, we have replaced conventional lighting with more efficient halogen lamps that give the kitchen a warmer light. Their intensity can also be adjusted, depending on the user's needs.

MOTOR BT2 240W

m^3/h - 5Pa UNE 61591

	3 vel	2 vel	1vel
m^3/h - máx.	820	554	400
dB (A) - M3 BL	65	56	49



Touch control

3 speeds
Light with adjustable intensity
15-minute timer with automatic stop
Filter cleaning warning light

DÉCORATIVES
La hotte qui s'adapte le mieux à vos besoins de par sa conception, son rendement ou son esthétique.

Grande capacité d'Extraction
Niveau sonore Minimum
Éclairage à Intensité variable
Contrôle Tactile

Grande capacité d'Extraction et Silence
Les hottes CATA proposent les meilleurs rendements. Elles permettent de profiter d'un espace sans fumées, sans odeurs et sans bruits. Par ailleurs, elles deviennent un élément décoratif de votre cuisine. Nous proposons les hottes les plus efficaces du marché. Nous vous garantissons une plus grande résistance, un niveau sonore minimum et une qualité maximale. CATA propose dans ses modèles actuels, un niveau sonore minimum à partir de 49 dB (A) et une capacité d'extraction allant jusqu'à 820m^3/h.

Éclairage à Intensité variable
CATA vous propose une vaste gamme de hottes comprenant un éventail varié de modèles. Vous trouverez des mesures, des formes et des finitions diverses afin que votre hotte s'intègre toujours parfaitement à votre cuisine. Dans la plupart de nos hottes décoratives, nous avons remplacé l'éclairage conventionnel par des ampoules halogènes plus efficaces et qui restituent une lumière plus chaude dans la cuisine. Il est par ailleurs possible de les régler en fonction des besoins de l'utilisateur.

Contrôle Tactile
3 vitesses
Éclairage à intensité variable
Temporisateur de 15 minutes avec arrêt automatique
Dispositif d'avertissement de propreté des filtres

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

ARTE BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



ARTE 900XGBK
Code **02128403**
EAN Code **8422248051538**

90 cm

ARTE WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white glass
- Max. pressure 405 Pa
- 150/125 mm discharge



ARTE 900XGWH
Code **02128003**
EAN Code **8422248051521**

90 cm

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

THALASSA SD



- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in sand glass
- Max. pressure 405 Pa
- 150/125 mm discharge



THALASSA 900SD 90 cm
Code **02159600**
EAN Code **8422248058032**

THALASSA WH



- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white glass
- Max. pressure 405 Pa
- 150/125 mm discharge



THALASSA 900XGWH 90 cm
Code **02159201**
EAN Code **8422248048088**

THALASSA 700XGWH 70 cm
Code **02178001**
EAN Code **8422248054508**

THALASSA 600XGWH 60 cm
Code **02127003**
EAN Code **8422248054287**

THALASSA BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



THALASSA 900XGBK 90 cm
Code **02159202**
EAN Code **8422248048583**

THALASSA 700XGBK 70 cm
Code **02178201**
EAN Code **8422248048576**

THALASSA 600XGBK 60 cm
Code **02127201**
EAN Code **8422248049344**

THALASSA1200 BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- **Anti-condensation filters at bottom**
- Max. pressure 405 Pa
- 150/125 mm discharge



THALASSA 1200XGBK 120 cm
Code **02157400**
EAN Code **8422248055512**

ATLAS BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



ATLAS 900XGBK
Code **02159401**
EAN Code **8422248051552**
90 cm

ATLAS WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and white glass
- Max. pressure 405 Pa
- 150/125 mm discharge



ATLAS 900XGWH
Code **02159001**
EAN Code **8422248051545**
90 cm

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

PODIUM BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm discharge



PODIUM 600XGBK — 60 cm
Code **02027406**
EAN Code **8422248054867**

PODIUM 500XGBK — 50 cm
Code **02027405**
EAN Code **8422248054850**

PODIUM WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white glass
- Max. pressure 200 Pa
- 150/125 mm discharge



PODIUM 600XGWH — 60 cm
Code **02027006**
EAN Code **8422248054843**

PODIUM 500XGWH — 50 cm
Code **02027005**
EAN Code **8422248054836**

ADARI BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm discharge



ADARI 600XGBK 60 cm
Code **02027207**
EAN Code **8422248058162**

ADARI WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white glass
- Max. pressure 200 Pa
- 150/125 mm discharge



ADARI 600XGWH 60 cm
Code **02027007**
EAN Code **8422248058179**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

CERES BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm discharge



CERES 900XGBK 90 cm
Code **02059200**
EAN Code **8422248051644**

CERES 600XGBK 60 cm
Code **02027200**
EAN Code **8422248051620**

CERES WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white glass
- Max. pressure 200 Pa
- 150/125 mm discharge



CERES 900XGWH 90 cm
Code **02059000**
EAN Code **8422248052047**

CERES 600XGWH 60 cm
Code **02027003**
EAN Code **8422248052030**

VENERE

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



VENERE 900XGBK 90 cm
Code **02090206**
EAN Code **8422248059633**

VENERE 600XGBK 60 cm
Code **02095206**
EAN Code **8422248059619**

PLANET BK



- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1000 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 61dB(A)
- TN motor, maximum energy consumption **140W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm discharge



PLANET 600XGBK 60 cm
Code **02027201**
EAN Code **8422248058797**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power
Adjustable intensity lighting
Touch control

SELENE

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



MIDAS WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K 7PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and white glass
- Max. pressure 200 Pa
- 150/125 mm discharge



MIDAS BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K 7PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and black glass
- Max. pressure 200 Pa
- 150/125 mm discharge



SELENE 90 cm
Code **02029200**
EAN Code **8422248048095**

SELENE 60 cm
Code **02060201**
EAN Code **8422248049603**

MIDAS 900 XGWH 90 cm
Code **02029002**
EAN Code **8422248052016**

MIDAS 600 XGWH 60 cm
Code **02060001**
EAN Code **8422248052023**

MIDAS 900 XGBK 90 cm
Code **02029201**
EAN Code **8422248049535**

MIDAS 600 XGBK 60 cm
Code **02060200**
EAN Code **8422248049542**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power

SYGMA

Halogens 2 x 50W

Electronic Panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 62dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 405 Pa
- 150/125 mm discharge



SYGMA 1200 120 cm
Code **02132302**
EAN Code **8422248048996**

SYGMA 900 90 cm
Code **02075300**
EAN Code **8422248048309**

SYGMA 600 60 cm
Code **02060301**
EAN Code **8422248048323**

S

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K7 PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 200 Pa
- 150/125 mm discharge



S 900 90 cm
Code **02029302**
EAN Code **8422248048170**

S 600 60 cm
Code **02060302**
EAN Code **8422248048194**

SN

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **370 m³/h**
- Minimum sound power: **52 dB(A)**, maximum: 64dB(A)
- K7 motor, maximum energy consumption **80W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 160 Pa
- 150/125 mm discharge



SN-600 60 cm
Code **02060303**
EAN Code **8422248054805**

HOOD+MICROWAVE

CHORUS

Halogens 2 x 50W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K 7PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 200 Pa
- 150/125 mm discharge

MICROWAVE FEATURES

- Stainless steel, 17-litre capacity
- 5 power levels, 700W output
- Simultaneous 900 W quartz grill
- Inside in stainless steel with turntable
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Safety closing



CHORUS 60 cm
Code **02165200**
EAN Code **8422248048217**

GAMMA

Halogens 2 x 50W

Electronic Panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and glass
- Max. pressure 405 Pa
- 150/125 mm discharge



GAMMA 900 90 cm
Code **02008208**
EAN Code **8422248048293**

GAMMA 600 60 cm
Code **02005205**
EAN Code **8422248049412**

C GLASS H

Halogens 2 x 50W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm discharge



C GLASS H 900 90 cm
Code **02008201**
EAN Code **8422248020480**

C GLASS H 600 60 cm
Code **02005201**
EAN Code **8422248020541**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power

C GLASS H

Halogens 2 x 50W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in blanck and glass
- Max. pressure 430 Pa
- 150/125 mm discharge



C GLASS H BLACK 900 90 cm
Code **02008401**
EAN Code **8422248020534**

C GLASS H BLACK 600 60 cm
Code **02005401**
EAN Code **8422248020473**

C GLASS

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K7 PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and glass
- Max. pressure 200 Pa
- 150/125 mm discharge



C GLASS 900 90 cm
Code **02008206**
EAN Code **8422248048132**

C GLASS 600 60 cm
Code **02005208**
EAN Code **8422248054072**

C GLASS 500 50 cm
Code **02006208**
EAN Code **8422248054089**

CN GLASS

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **370 m³/h**
- Minimum sound power: **52 dB(A)**, maximum: 64dB(A)
- K7 motor, maximum energy consumption **80W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and glass
- Max. pressure 160 Pa
- 150/125 mm discharge



CN-600 GLASS 60 cm
Code **02005209**
EAN Code **8422248054829**

NEBLIA

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA 600 60 cm
Code **02052300**
EAN Code **8422248017602**

NEBLIA 500 50 cm
Code **02088310**
EAN Code **8422248039024**

NEBLIA BK

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA BK 600 60 cm
Code **02052400**
EAN Code **8422248017619**

NEBLIA WH

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA WH 600 60 cm
Code **02052000**
EAN Code **8422248017596**

NEBLIA WH 500 50 cm
Code **02088010**
EAN Code **8422248039031**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power

NEBLIA ABK

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA ABK 60 cm
Code **02052401**
EAN Code **8422248042109**

NEBLIA AWH

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA AWH 60 cm
Code **02052001**
EAN Code **8422248042093**

NEBLIA IVORY

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in ivory
- Max. pressure 430 Pa
- 150/125 mm discharge



NEBLIA IVORY 60 cm
Code **02052801**
EAN Code **8422248034357**

CLASICA BK

Halogens 2 x 50W

Electronic Panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black
- Max. pressure 430 Pa
- 150/125 mm discharge



CLASICA 900 BK 90 cm
Code **02177405**
EAN Code **8422248031295**

CLASICA 600 BK 60 cm
Code **02173403**
EAN Code **8422248031301**

CLASICA WH

Halogens 2 x 50W

Electronic Panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1100 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- Max. pressure 430 Pa
- 150/125 mm discharge



CLASICA 900 WH 90 cm
Code **02177005**
EAN Code **8422248032957**

CLASICA 600 WH 60 cm
Code **02173002**
EAN Code **8422248052054**

BETA

Halogens 2 x 50W

Electronic Panel

- **Electronic control panel** with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 62dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 405 Pa
- 150/125 mm discharge



BETA 900 90 cm
Code **02051302**
EAN Code **8422248048361**

BETA 600 60 cm
Code **02050303**
EAN Code **8422248048385**

DECORATIVE

The hood best suited to your needs in terms of design, performance and good looks.

Large extraction capacity
Minimum sound power

OMEGA

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm discharge



OMEGA 900 90 cm
Code **02004300**
EAN Code **8422248013062**

OMEGA WH

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- Max. pressure 430 Pa
- 150/125 mm discharge



OMEGA 600 60 cm
Code **02002300**
EAN Code **8422248013000**

OMEGA 600 WH 60 cm
Code **02002000**
EAN Code **8422248012997**

OMEGA BK

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1110 m³/h**
- Minimum sound power: **55 dB(A)**, maximum: 69dB(A)
- M3R motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in black
- Max. pressure 430 Pa
- 150/125 mm discharge



OMEGA 600 BK 60 cm
Code **02002400**
EAN Code **8422248013017**

decorative

V

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K7 PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 200 Pa
- 150/125 mm discharge



V 900
Code **02063302**
EAN Code **8422248047173**
90 cm

V 600
Code **02061302**
EAN Code **8422248047166**
60 cm

V 500
Code **02088301**
EAN Code **8422248049290**
50 cm

V WH

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **620 m³/h**
- Minimum sound power: **51 dB(A)**, maximum: 63dB(A)
- K7 PLUS motor, maximum energy consumption **95W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- Max. pressure 200 Pa
- 150/125 mm discharge



V 600 WH
Code **02061002**
EAN Code **8422248048071**
60 cm

V 600 BK
Code **02061401**
EAN Code **8422248049429**
60 cm

V 500 WH
Code **02088001**
EAN Code **8422248049283**
50 cm

VN

Lamps 2 x 40W

Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **370 m³/h**
- Minimum sound power: **52 dB(A)**, maximum: 64dB(A)
- K7 motor, maximum energy consumption **80W**
- Extra-quiet motor
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- Max. pressure 160 Pa
- 150/125 mm discharge



VN-900
Code **02063305**
EAN Code **8422248057110**
90 cm

VN-600
Code **02061305**
EAN Code **8422248054645**
60 cm

SILENT SPLIT TECHNOLOGY DECORATIVE

Silent solutions. "Silent-split" technology makes it possible to reduce the sound power by up to 70%

Maximum quietness: 39 dB(A)
Easy to install
Cable or wireless connection

At **CATA** we have created the quietest hoods on the market using a system of remote extraction where the motor is located either on in the ceiling or in a false ceiling instead of being inside the hood. This reduces noise because the motor is outside the room.

Easy to install

Both the ceiling motor (exterior silent split) system and the false ceiling motor (in-line silent split) systems have been designed to be easy to install, even in existing homes with minimal modifications to the established conditions.

Cable or wireless connection

The operation and control of the hood are no different to those of a standard hood. Each of the extraction functions is activated from the hood and it communicates with the motor by cable or using a wireless system with a maximum range of 25 metres



In-line solution.
Adaptable to any installation

In-line silent split is the completely silent solution with which the hood is installed, without its motor, in the cooking area. This extracts smell and smoke from the kitchen while the hood motor is installed behind a **false ceiling**. The outside motor installation does not mean a loss of flow, reaching extraction levels of 660m³/h.
Silent Split in-line est la solution totalement silencieuse avec laquelle la hotte sans moteur est installée dans la zone de cuisson. Cette dernière extrait les odeurs et la fumée de la cuisine, alors que le moteur de la hotte est installé dans le **faux plafond**. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 660m³/h.

Exterior silent split is the completely silent solution with which the hood is installed, without its motor, in the cooking area. It extracts smell and smoke from the kitchen, while the cover, including the motor, **is installed in a flue in the ceiling**. The outside motor installation does not mean a loss of flow, reaching extraction levels of 660m3/h.

Silent Split extérieur est la solution totalement silencieuse où la hotte sans moteur est installée dans la zone de cuisson. Elle extrait les odeurs et la fumée de la cuisine, alors que le chapeau incluant le moteur se **trouve dans une cheminée sur le toit du logement**. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 660m³/h.





The installation of the hood and the motor, and communication between the two of them, are really easy. As can be seen in the pictures, the motor is installed in the extraction conduit in 4 simple steps.

L'installation de la hotte et du moteur ainsi que la communication entre les deux éléments est vraiment simple. Comme vous pouvez voir sur les images, le moteur est installé dans la conduite d'extraction en 4 étapes simples.



ÎLOTS SILENT SPLIT TECHNOLOGY

Solutions Silencieuses. La technologie "silent-split" permet de réduire le niveausonore de la cuisine de jusqu'à 70%

Silence maximum: 39 dB (A)

Installation Facile

Connexion par câble ou sans fil

Chez **CATA**, nous avons créé les hottes les plus silencieuses du marché avec le système d'extraction distant, où le moteur est installé sur le toit du logement ou dans le faux plafond, plutôt que dans la hotte. Le bruit est ainsi réduit étant donné que le moteur se trouve en dehors de la pièce.

Installation Facile

Qu'il s'agisse des systèmes où le moteur est installésur le toit (modèles Silent Split Exterior) ou des systèmesavec installation dans le faux plafond (Silent SplitIn-line), il ont tous été conçus pour que leur installation soit simple, même dans des logements déjà achevés, en modifiant au minimum les conditions existantes.

Connexion par câble ou sans fil

Le fonctionnement et le contrôle de la hotte ne supposent aucun changement par rapport à une hotte standard. Toutes les fonctions d'extraction sont activées depuis la hotte et la communication avec le moteur est effectuée par câble ou par fréquence radio, avec une portée maximale de 25 mètres.

SILENT SPLIT TECHNOLOGY DECORATIVE

Silent solutions. "Silent-split" technology makes it possible to reduce the sound power by up to 70%

Maximum quietness: 39 dB(A)
Easy to install
Cable or wireless connection

THALASSA BK SILENT SPLIT

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 225 Pa
- 150/200 mm discharge



THALASSA 600 BK, SILENT SPLIT **IN-LINE** — 60 cm
Code **02127409**
EAN Code **8422248057431**

THALASSA BK, SILENT SPLIT **IN-LINE** — 90 cm
Code **02159409**
EAN Code **8422248054713**

THALASSA BK, SILENT SPLIT **EXTERIOR** — 90 cm
Code **02159410**
EAN Code **8422248054690**

THALASSA WH SILENT SPLIT

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in white glass
- Max. pressure 225 Pa
- 150/200 mm discharge



THALASSA WH, SILENT SPLIT **IN-LINE** — 90 cm
Code **02159009**
EAN Code **8422248054706**

THALASSA WH, SILENT SPLIT **EXTERIOR** — 90 cm
Code **02159010**
EAN Code **8422248054683**

silent split technology

SYGMA SILENT SPLIT

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **910 m³/h**
- Minimum sound power: **39 dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction** motor
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel DurAlum fingerprint free
- Max. pressure 225 Pa
- 150/200 mm discharge



SYGMA, SILENT SPLIT **IN-LINE** — 90 cm
Code **02175010**
EAN Code **8422248054676**

SYGMA, SILENT SPLIT **EXTERIOR** — 90 cm
Code **02175310**
EAN Code **8422248043878**

INSERTS

Optimum performance and perfect integration in your kitchen.

Easy to install: Quick-Fix Grip System
Folding panel perimeter extraction

Easy to instal

CATA offers an exclusive, innovative system making the hood easier to install and allowing it to be fitted it very easily, with great precision, by just one person. New, convenient, ergonomic anchoring system, offering an excellent end result.







Folding panel perimeter extraction

DUAL concept: Brings together the advantages of a flush-mounted unit and a conventional hood. It can work with the glass closed or open.

Glass closed:

- The hood is completely invisible from the front.
- In this position, the perimeter suction effect occurs, reducing noise and promoting suction at the perimeters.
- Greater visibility of the cooking plane.
- The anti-grease filters are hidden.
- Recommended position for gentle or medium cooking with 1 or 2 plates and for long periods.

Glass open:

- Allows greater vision and use of the controls.
- The suction coverage area is expanded to the front of the cooking hob.
- Protection of the front of the kitchen unit from steam and smoke.
- More direct suction.
- Recommended position for intensive cooking or use of 3 or 4 plates at once.

GROUPES FILTRANTS
Prestations optimales et intégration parfaite dans votre cuisine.

Installation facile: Quick-Fix Grip System
Extraction périmétrale avec panneau rabattable

Installation Facile
CATA propose un système exclusif et novateur qui facilite l'installation de la hotte. Il est ainsi possible qu'une seule personne l'installe de façon très précise et facile. Nouveau système d'ancrage, pratique et ergonomique, donnant un excellent résultat final.

Extraction périmétrale avec panneau rabattable
Concept DUAL : Réunit les avantages d'un groupe encastré et d'une hotte conventionnelle. Peut fonctionner avec le verre fermé ou ouvert.

Verre fermé :
- La hotte est complètement invisible de l'avant.
- Dans cette position, elle produit l'effet d'aspiration périmétrale en réduisant le bruit et en favorisant l'aspiration au niveau des extrémités.
- Permet une meilleure visibilité du plan de cuisson.
- Les filtres anti gras sont dissimulés.
- Position recommandée pour les cuissons à feu doux ou moyen, avec 1 ou 2 feux et de longue durée.

Verre ouvert :
- Permet une meilleure vision et l'usage des commandes.
- Agrandit la zone de couverture d'aspiration vers la partie frontale de la plaque de cuisson.
- Protection de la façade du meuble contre les vapeurs et les fumées.
- Aspiration plus directe.
- Position recommandée pour les cuissons à feu fort ou pour l'usage de 3 ou 4 feux à la fois.

INSERTS

Optimum performance and perfect integration in your kitchen.

Easy to install: Quick-Fix Grip System
Folding panel perimeter extraction

GC DUAL WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **48 dB(A)**, maximum: 63dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Folding perimeter suction system**
- **Adjustable intensity halogen lighting**
- **Quick Fix Grip easy installation** system
- Dishwasher-washable filters
- Finished in white glass
- Max. pressure 405 Pa
- 150/125 mm discharge



GC DUAL 75 — 90 cm
Code **02131201**
EAN Code **8422248055680**

GC DUAL 45 — 60 cm
Code **02130201**
EAN Code **8422248055673**

GC DUAL BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator | Perimeter Extraction

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **48 dB(A)**, maximum: 63dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Folding perimeter suction system**
- **Adjustable intensity halogen lighting**
- **Quick Fix Grip easy installation** system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 405 Pa
- 150/125 mm discharge



GC DUAL 75 — 90 cm
Code **02131200**
EAN Code **8422248054621**

GC DUAL 45 — 60 cm
Code **02130200**
EAN Code **8422248054614**

inserts

GL

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- **Quick Fix Grip easy installation** system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 405 Pa
- 150/125 mm discharge



GL 75 X 90 cm
Code **02131301**
EAN Code **8422248051606**

GL 45 X 60 cm
Code **02030302**
EAN Code **8422248054959**

GT PLUS

Halogens 2 x 50W | Mechanical push button control

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1200 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 65dB(A)
- BT2 motor, maximum energy consumption **240W**
- Extra-quiet motor
- **Adjustable intensity halogen lighting**
- **Quick Fix Grip easy installation** system
- Dishwasher-washable filters
- Finished in stainless steel, black and white
- Max. pressure 405 Pa
- 150/125 mm discharge



GT PLUS 45 X 60 cm
Code **02030301**
EAN Code **8422248054942**

GT PLUS 45 WH 60 cm
Code **02030001**
EAN Code **8422248054928**

GT PLUS 45 BK 60 cm
Code **02030401**
EAN Code **8422248054935**

TELESCOPIC

Large extraction capacity
Maximum suction area
Exclusive glass collection

Large extraction capacity

For users looking for a telescopic hood, **CATA** offers a wide variety of models that will meet the needs of the most demanding customers.

The new **TF 6600** model is the best choice: maximum extraction performance (up to 790 m3/h), minimum sound power and energy consumption, with an opening system offering a larger extraction area.

Maximum suction area

Our telescopic hoods are the perfect solution when you need to maximise the suction surface in small spaces. They offer option of expanding the suction surface using their opening system (up to 44 cm).

Exclusive glass collection

Front panel finish in sand glass

Front panel finish in white glass

Front panel finish in black glass

TÉLÉSCOPIQUES
Grande capacité d'Extraction
surface d'aspiration Maximale
Collection exclusive Glass

Grande capacité d'Extraction
Pour les utilisateurs à la recherche d'une hotte télescopique, **CATA** propose une grande variété de modèles répondant aux besoins des plus exigeants.
Le nouveau modèle **TF 6600** est le meilleur choix : rendement maximum en extraction (jusqu'à 790m3/h), niveau sonore minimum et consommation énergétique avec système d'ouverture proposant une plus grande surface d'Extraction.

Collection exclusive Glass
Finition avant en verre Sand (sable), Finition avant en verre Blanc, Finition avant en verre Noir

surface d'aspiration Maximale
Nos hottes télescopiques constituent la solution idéale quand il faut maximiser la surface d'aspiration dans des espaces réduits. Ils proposent la possibilité d'étendre la surface d'aspiration avec leur système d'ouverture (jusqu'à 44 cm).

TELESCOPIC

Large extraction capacity
Maximum suction area
Exclusive glass collection

NEW
Maximum power: 790m³/h

TF 6600 DURALUM

Halogens 2 x 50W

- **Mechanical** control panel
- 3 extraction levels
- Maximum air flow **1115 m³/h**
- Minimum sound power: **49 dB(A)**, maximum: 63dB(A)
- Tangential motor double turbine, maximum energy consumption **200W**
- Extra-quiet motor
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- **Finished in DurAlum fingerprint free**
- Max. pressure 380 Pa
- 150mm discharge



TF 6600 DURALUM 60 60 cm
Code **02010201**
EAN Code **8422248058865**

TF 3600 WH

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **58 dB(A)**, maximum: 64dB(A)
- 2 motors, maximum energy consumption 2x**125W**
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- White glass front panel
- Max. pressure 125 Pa
- 120 mm discharge



TF 3600 WH 60 cm
Code **02017002**
EAN Code **8422248053921**

TF 3600 BK

Halogens 2 x 50W | Touch Control TC 3V | Filter cleaning indicator

- **Touch control** panel with timer
- 3 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **58 dB(A)**, maximum: 64dB(A)
- 2 motors, maximum energy consumption 2x**125W**
- **Adjustable intensity halogen lighting**
- Easy installation system
- Dishwasher-washable filters
- Black glass front panel
- Max. pressure 125 Pa
- 120 mm discharge



TF 3600 BK 60 cm
Code **02017402**
EAN Code **8422248053938**

telescopic

TF 2003 DURALUM

Halogens
2 x 50W

- **Mechanical** control panel
- 2 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **44 dB(A)**, maximum: 55dB(A)
- Tangential motor, maximum energy consumption **100W**
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- **Finished in DurAlum fingerprint free**
- Max. pressure 194 Pa
- 120mm discharge



TF 2003 DURALUM 90 90 cm
Code **02094303**
EAN Code **8422248052702**

TF 2003 DURALUM 70 70 cm
Code **02089303**
EAN Code **8422248052696**

TF 2003 DURALUM 60 60 cm
Code **02017303**
EAN Code **8422248052689**

NEW
Finished in sand glass front

TF 2003 SD

Halogens
2 x 50W

- **Mechanical** control panel
- 2 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **44 dB(A)**, maximum: 55dB(A)
- Tangential motor, maximum energy consumption **100W**
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Sand glass front panel
- Max. pressure 194 Pa
- 120mm discharge



TF 2003 SD 60 cm
Code **02017600**
EAN Code **8422248058759**

TF 2003 GWH

Halogens
2 x 50W

- **Mechanical** control panel
- 2 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **44 dB(A)**, maximum: 55dB(A)
- Tangential motor, maximum energy consumption **100W**
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- White glass front panel
- Max. pressure 194 Pa
- 120mm discharge



TF 2003 GWH 60 cm
Code **02017201**
EAN Code **8422248051583**

TELESCOPIC

Large extraction capacity
Maximum suction area
Exclusive glass collection

TF 2003 GBK

Halogens
2 x 50W

- **Mechanical** control panel
- 2 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **44 dB(A)**, maximum: 55dB(A)
- Tangential motor, maximum energy consumption **100W**
- **Halogen lighting**
- Easy installation system
- Washable filters Dishwasher
- Black glass front panel
- Max. pressure 194 Pa
- 120mm discharge



TF 2003 GBK
Code **02017200**
EAN Code **8422248048200**
60 cm

TF 5250 GWH

Lamps
2 x 40W

- **Sliding control** panel
- 3 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **58 dB(A)**, maximum: 64dB(A)
- 2 motors, maximum energy consumption 2x**125W**
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- White glass front panel
- Max. pressure 125 Pa
- 120mm discharge



TF 5250 GWH, 2 motores
Code **02097001**
EAN Code **8422248054881**
50 cm

TF 5250 GBK

Lamps
2 x 40W

- **Sliding control** panel
- 3 extraction levels
- Maximum air flow **600 m³/h**
- Minimum sound power: **58 dB(A)**, maximum: 64dB(A)
- 2 motors, maximum energy consumption 2x**125W**
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Black glass front panel
- Max. pressure 125 Pa
- 120mm discharge



TF 5250 GBK, 2 motores
Code **02097401**
EAN Code **8422248054898**
50 cm

telescopic

TF

Lamps
2 x 40W

- **Sliding control** panel
- 3 extraction levels
- **2 motors**
  - Maximum air flow **600 m³/h**
  - Minimum sound power: **57 dB(A)**, maximum: 63dB(A)
  - maximum energy consumption 2x**90W**
  - Max. pressure 190 Pa
- **1 motor**
  - Maximum air flow **350 m³/h**
  - Minimum sound power: **49 dB(A)**, maximum: 64dB(A)
  - maximum energy consumption 1x**125W**
  - Max. pressure 140 Pa
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel
- 120mm discharge



TF 5260 X, 2 motores
Code **02034305**
EAN Code **8422248003377**
60 cm

TF 5060 X, 1 motor
Code **02033303**
EAN Code **8422248009515**
60 cm

TF 5250 X, 2 motores
Code **02097300**
EAN Code **8422248024488**
50 cm

TF WH

Lamps
2 x 40W

- **Sliding control** panel
- 3 extraction levels
- **2 motors**
  - Maximum air flow **600 m³/h**
  - Minimum sound power: **57 dB(A)**, maximum: 63dB(A)
  - maximum energy consumption 2x**90W**
  - Max. pressure 190 Pa
- **1 motor**
  - Maximum air flow **350 m³/h**
  - Minimum sound power: **49 dB(A)**, maximum: 64dB(A)
  - maximum energy consumption 1x**125W**
  - Max. pressure 140 Pa
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white / black
- 120mm discharge



TF 5260 WH, 2 motores
Code **02034005**
EAN Code **8422248003346**
60 cm

TF 5260 BK, 2 motores
Code **02034405**
EAN Code **8422248003360**
60 cm

TF 5250 WH, 2 motores
Code **02097000**
EAN Code **8422248024471**
50 cm

CONVENTIONAL

Easy to install
Large extraction capacity

F WH

Lamps 2 x 40W

Mechanical push button control

- **Sliding control** panel
- 3 extraction levels
- **2 motors**
  - Maximum air flow **600 m³/h**
  - Minimum sound power: **57 dB(A)**, maximum: 63dB(A)
  - maximum energy consumption 2x**90W**
  - Max. pressure 190 Pa
- **1 motor**
  - Maximum air flow **380 m³/h**
  - Minimum sound power: **52 dB(A)**, maximum: 58dB(A)
  - maximum energy consumption 1x**90W**
  - Max. pressure 179 Pa
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in white
- 120mm discharge



F 2260 WH, 2 motores — 60 cm
Code **02013005**
EAN Code **8422248049078**

F 2060 WH, 1 motor — 60 cm
Code **02011006**
EAN Code **8422248048057**

F 2050 WH, 1 motor — 50 cm
Code **02015005**
EAN Code **8422248049368**

F

Lamps 2 x 40W

Mechanical push button control

- **Sliding control** panel
- 3 extraction levels
- **2 motors**
  - Maximum air flow **600 m³/h**
  - Minimum sound power: **57 dB(A)**, maximum: 63dB(A)
  - maximum energy consumption 2x**90W**
  - Max. pressure 190 Pa
- **1 motor**
  - Maximum air flow **380 m³/h**
  - Minimum sound power: **52 dB(A)**, maximum: 58dB(A)
  - maximum energy consumption 1x**90W**
  - Max. pressure 179 Pa
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and brown
- 120mm discharge



F 2260 X, 2 motores — 60 cm
Code **02013305**
EAN Code **8422248049085**

F 2060 X, 1 motor — 60 cm
Code **02011306**
EAN Code **8422248048064**

F 2060 BR, 1 motor — 60 cm
Code **02011106**
EAN Code **8422248049252**

F 2050 X, 1 motor — 50 cm
Code **02015305**
EAN Code **8422248049382**

F 2050 BR, 1 motor — 50 cm
Code **02015105**
EAN Code **8422248049375**

F 90

Lamps
2 x 40W

- Extraction levels: 3
- Air Flow m3/h: **180/157/140**
- Sound power dB(A): **57/61/63**
- Motor: 2 x **125W**
- Max. Pressue: 179 Pa
- Outflow: 120 mm



F 2290 X, 2 motores
Code **02014302**
EAN Code **8422248168946**
90 cm

P

Mechanical push button control

Lamps
1 x 40W (1 motor)
2 x 40W (2 motors)

- **Mechanical** control panel
- 3 niveles de extracción
- **2 motors**
  - Maximum air flow **600 m³/h**
  - Minimum sound power: **58 dB(A)**, maximum: 64dB(A)
  - maximum energy consumption 2x**125W**
  - Max. pressure 255 Pa
- **1 motor**
  - Maximum air flow **350 m³/h**
  - Minimum sound power: **49 dB(A)**, maximum: 64dB(A)
  - maximum energy consumption 1x**125W**
  - Max. pressure 125 Pa
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel, white, black and brown
- 120mm discharge



P 3290 X, 2 motores
Code **02027302** - EAN Code **8422248007030**
90 cm

P 3260 X, 2 motores
Code **02026302** - EAN Code **8422248007023**
60 cm

P 3260 BK, 2 motores
Code **02026402** - EAN Code **8422248007788**
60 cm

P 3260 WH, 2 motores
Code **02026002** - EAN Code **8422248007009**
60 cm

P 3260 BR, 2 motores
Code **02026101** - EAN Code **8422248020657**
60 cm

P 3060 X, 1 motor
Code **02028305** - EAN Code **8422248058773**
60 cm

P 3060 BK, 1 motor
Code **02028405** - EAN Code **8422248058803**
60 cm

P 3060 WH, 1 motor
Code **02028005** - EAN Code **8422248058766**
60 cm

P 3050 X, 1 motor
Code **02096301** - EAN Code **8422248058827**
50 cm

P 3050 BK, 1 motor
Code **02096401** - EAN Code **8422248058834**
50 cm

P 3050 WH, 1 motor
Code **02096001** - EAN Code **8422248058810**
50 cm

cata



HOBS

CATA hobs are extraordinarily easy to use and simple to clean, giving you freedom and design you will enjoy when preparing your favourite dishes. In this section you will find hobs bringing you speed, precision, versatility, safety or a traditional touch. All these solutions will allow you to choose the hob you are looking for depending on your needs.

PLAQUES DE CUISSON

Les plaques de cuisson **CATA** vous proposent une extraordinaire facilité d'utilisation. Elles vous feront profiter de liberté, design, et d'une simplicité de nettoyage grâce auxquels vous prendrez plaisir en cuisinant. Dans cette rubrique, vous découvrirez des plaques de cuisson qui vous apporteront rapidité, précision, versatilité, sécurité ou une touche traditionnelle. Toutes ces solutions vous permettront de choisir la plaque de cuisson qu'il vous faut en fonction de vos besoins.

HOBS / PLAQUES DE CUISSON

INDUCTION cata & Can Roca

GIGA 750 BK p91

NEW
GIGA 600 WH p92

GIGA 600 BK p93


ISB 603 BK p94

ISB 603 WH p95

NEW
ISB 603 SD p97

ISB 704 BK p99

INDUCTION - IB SERIE

IB 604 BK p102

NEW
IB 604 WH p102


IB 603 BK p103

IB 603 WH p103

IB 753 BK p104


NEW
IB 772 p104

IB 302 BK p105

IB 2 PLUS BK p105

NEW
IT 773 p105

VITROCERAMIC HOBS

TT 603 p107


T 604 p107


NEW
TCDO 704 p108

NEW
TCD 772 p108

NEW
TCD 604 p109


NEW
TCDO 604 BV p109


NEW
TDN 603 p110


NEW
TN 604 p110

604 HVI p110



TD 302 p111

VI 302 p111

GLASS GAS HOBS

LCI 941 BK p114

LCI 912 p114

NEW



LCI 912 UV p115

LCI 702 p115

NEW



LCI 702 UV p116

L 705 CI BK p116

NEW

CB 702 p117

CI 712 p117

LCI 631 WH p118

LCI 631 BK p118

LCI 302 BK p119

CI 631 p119

NEW

CB 631 A p119

RUSTIC GAS HOBS

RCI 631 BK p120

NEW

RCI 631 WH p120

NEW

RCI 631 IVORY p120

S. STEEL GAS HOBS



L 905 TI p123

L 705 TI p123

NEW

LGD 631 p123

NEW

LGI 631 p124

GI 631 p124

NEW

XB 631 p124

GI 604 p125

GI 302 p125

302 TI p125

INDUCTION

cata & Can Roca

The biggest cooking area in the world: 40 cm
Modular induction: Maximum versatility
Sequential touch control
High-speed booster
Cooking with temperature functions
Automatic pan detection
Exclusive finishes: Bevelled edges and new Sand

The biggest cooking area in the world: 40 cm - GIGA series

Induction hobs from the **CATA & Can Roca** collection have been developed together with the Roca brothers from **Celler de Can Roca**, the best restaurant in the world. Outstanding among the **CATA & Can Roca** collection are the two models offering the biggest cooking area on the market (40 cm): Giga and Giga 750. They are two ultra-fast induction hobs thanks to the fact that their induction technology is 20% quicker than conventional induction.

Versatility: Modular induction capable of satisfying the most sophisticated tastes

Thanks to the modular technology in the Giga and Giga 750 models, you can cook with pans of different sizes and shapes

6 cooking areas – Giga 750

It allows the simultaneous use of up to 6 totally independent utensils (12-20cm)

Double areas

The Giga 750 offers 3 double areas and the Giga 2 double areas (20-28 cm each), with an infinite number of applications, allowing these double areas to be combined with the individual.

Giant area: 40 cm

Option of enabling the giant area of up to 40 cm (plus the use of the complementary areas in the Giga 750).

Power - Booster System

The modular induction plates offer the best induction performances with booster options accelerating the heating cycle up to 45%, which implies less energy consumption and cheaper running.

Temperature functions

In addition to power control, it is very easy to cook with the three temperature functions, you just have to choose the function:

- Melting or defrosting (42ºC)
- Heating or keeping warm (70ºC)
- Simmering (94ºC)

Automatic pan detection

This technology makes cooking very easy thanks to the smart pan detection that allows us to find the pan easily and rapidly.

Bevelled front panel

All modular hobs include the bevelled front panel

Exclusive finishes. New Sand collection

The exclusive **Cata & Can Roca** collection stands out in your kitchen, offering you perfect harmony.

With the **Cata & Can Roca** range of products, you will achieve a top design, innovative kitchen thanks to the use of black, white or the exclusive sand coloured glass both on ovens, microwaves, hoods and hobs.

INDUCTION CATA&CAN ROCA
La surface de cuisson la plus grande du monde : 40 cm
Induction modulaire : Versatilité Maximale
Contrôle tactile séquentiel
Booster à haute vitesse
Cuisson avec fonctions de température
Détection intelligente des récipients
Finitions uniques: Biseau et nouvelle collection Sand

La surface de cuisson la plus grande du monde : 40 cm - Série GIGA
Nous avons développé les plaques à induction de la collection CATA & Can Roca avec les frères Roca du Celler de Can Roca, consacré meilleur restaurant du monde. Dans les modèles de la collection CATA & Can Roca se détachent les deux modèles qui proposent la plus grande surface de cuisson du marché (40 cm) : Giga et Giga 750. Il s'agit de deux plaques à induction modulaire ultra rapides. Grâce à leur technologie à induction, elles proposent 20 % de vitesse supplémentaire par rapport à une plaque à induction conventionnelle.

Versatilité: L'induction modulaire peut répondre aux goûts des personnes les plus exigeantes
Grâce à la technologie modulaire des modèles Giga et Giga 750, vous pourrez cuisiner avec des récipients aux formes et aux capacités diverses.

6 areas de cuisson – Giga 750
Permet l'utilisation simultanée de jusqu'à 6 ustensiles entièrement indépendants (12-20 cm)

Areas doubles
La plaque Giga 750 propose 3 areas doubles et le modèle Giga 2 areas doubles (de 20 - 28 cm chacune). Elles proposent ainsi des possibilités infinies qui permettent d'associer l'utilisation de ces areas doubles avec les areas individuelles.

Area Géante : 40 cm
Option permettant d'habiliter la surface géante jusqu'à 40 cm (s'y rajoute l'utilisation de deux areas complémentaires pour le modèle Giga 750).

Puissance – Système Booster
Les plaques de cuisson à induction modulaire proposent les meilleures prestations en induction. Elles disposent également des options booster qui accélèrent jusqu'à 45 % le cycle de chauffage, ce qui implique une consommation d'énergie inférieure et plus d'économies.

Fonctions de température
En plus de disposer du contrôle par niveau de puissance, il est très facile de cuisiner avec les trois fonctions de température. Il suffit de sélectionner la fonction :
- Faire fondre ou décongeler (42ºC) (42ºC)
- Réchauffer ou conserver chaud (70ºC)
- Faire bouillir à feu lent (94ºC)

Détection intelligente des récipients
Grâce à cette technologie, vous disposerez de la simplicité maximale lorsque vous cuisinerez grâce à la détection intelligente des récipients permettant de voir de façon facile et rapide la commande où se trouve le récipient.

Biseau frontal
Toutes les plaques de cuisson modulaires disposent du Biseau frontal.

Finitions uniques. Nouvelle collection Sand
La collection exclusive CATA et Can Roca sort du lot et propose une parfaite harmonie dans votre cuisine.
Avec la gamme des produits Cata & Can Roca, vous disposerez d'une cuisine design et novatrice grâce aux finitions en verre noir, blanc ou avec la couleur exclusive sable pour les fours, les fours micro-ondes, les hottes aspirantes et les plaques de cuisson.


P
P

GIGA 750 BK



- **6 ultra-fast induction** cooking **areas**

- **6 independent induction areas with booster function for each area**
- **3 modular double areas measuring 23.5 x 37 cm**
- 1 modular **giant area measuring 40 cm**

- 2.1 kW power in each cooking area (max. 3.7 kW)
- **Intelligent pan detection** system
- **9 levels + booster** with **sequential control for each area**
- Safety lock
- It has three **temperature functions**:
  - **Level 1**: 42ºC (melting or defrosting)
  - **Level 2**: 70ºC (heating or keeping warm)
  - **Level 3**: 94ºC (simmering)
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **77 cm** wide
- **Total power 11.0 kW**
- **Front bevel**

Booster system

Specific TC Slider for each cooking area

40 cm

Safety lock

Timer

6 cooking areas

Temperature



GIGA 750 BK
Code **08026001**
EAN Code **8422248054485**

GIGA 600 WH



- **4 ultra-fast induction** cooking **areas**

- **4 independent induction areas with booster function for each area**
- **2 modular double areas measuring 23.5 x 37 cm**
- 1 modular **giant area measuring 40 cm**

- 2.1 kW power in each cooking area (max. 3.7 kW)
- **Intelligent pan detection** system
- **9 levels + booster** with **sequential control for each area**
- Safety lock
- It has three **temperature functions**:
  - **Level 1**: 42ºC (melting or defrosting)
  - **Level 2**: 70ºC (heating or keeping warm)
  - **Level 3**: 94ºC (simmering)
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 7.4 kW**
- **Front bevel**

Booster system

Specific TC Slider for each cooking area

40 cm

Safety lock

Timer

4 cooking areas

Temperature



GIGA 600 WH
Code **08026003**
EAN Code **8422248059206**

GIGA 600 BK

- **4 ultra-fast induction** cooking **areas**

- **4 independent induction areas with booster function for each area**
- **2 modular double areas measuring 23.5 x 37 cm**
- 1 modular **giant area measuring 40 cm**

- 2.1 kW power in each cooking area (max. 3.7 kW)
- **Intelligent pan detection** system
- **9 levels + booster** with **sequential control for each area**
- Safety lock
- It has three **temperature functions**:
  - **Level 1**: 42ºC (melting or defrosting)
  - **Level 2**: 70ºC (heating or keeping warm)
  - **Level 3**: 94ºC (simmering)
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 7.4 kW**
- **Front bevel**

Booster system

Specific TC Slider for each cooking area

40 cm

Safety lock

Timer

4 cooking areas

Temperature



GIGA 600 BK
Code **08026002**
EAN Code **8422248059190**

cata & Can Roca

ISB 603 BK



- **3** cooking **areas**
  - Right: **1 giant area with booster function** Ø270, 2.3 kW (max. 3 kW)
  - Bottom left: 1 area **with booster function** Ø220, 2.3 kW (max. 3 kW)
  - Top left: 1 induction area, Ø180, 1.4 kW

- 9 adjustable power levels with touch control + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Exclusive black glass design with **Cata & Can Roca** printed on it and front bevel
- **59 cm** wide
- Total power 6.7 kW
- **Front bevel**
- Automatic pan detection

Booster system

TC Slider

27 cm

Safety lock

Timer

3 ccoking areas



ISB 603 BK
Code **08073211**
EAN Code **8422248055871**

ISB 603 WH



- **3** cooking **areas**
  - Right: **1 giant area with booster function** Ø270, 2.3 kW (max. 3 kW)
  - Bottom left: 1 area **with booster function** Ø220, 2.3 kW (max. 3 kW)
  - Top left: 1 induction area, Ø180, 1.4 kW

- 9 adjustable power levels with touch control + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Exclusive white glass design with **Cata & Can Roca** printed on it and front bevel
- **59 cm** wide
- Total power 6.7 kW
- **Front bevel**
- Automatic pan detection

Booster system

TC Slider

27 cm

Safety lock

Timer

3 ccoking areas



ISB 603 WH
Code **08001001**
EAN Code **8422248055888**

Induction Power

ISB 603 SD

Colección Exclusiva Sand



- **3** cooking **areas**
  - Right: **1 giant area with booster function** Ø270, 2.3 kW (max. 3 kW)
  - Bottom left: 1 area **with booster function** Ø220, 2.3 kW (max. 3 kW)
  - Top left: 1 induction area, Ø180, 1.4 kW
- 9 adjustable power levels with touch control + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Exclusive sand glass design with **Cata & Can Roca** printed on it and front bevel
- **59 cm** wide
- Total power 6.7 kW
- **Front bevel**
- Automatic pan detection

Booster system

TC Slider

27 cm

Safety lock

Timer

3 ccoking areas



ISB 603 SD
Code **08001600**
EAN Code **8422248058414**

Induction Power

ISB 704 BK

- **4** cooking **areas**
  - Top right: 1 area **with booster function** Ø220, 2.3 kW (max. 3 kW)
  - Bottom right: 1 induction area, Ø180, 1.4 kW
  - Bottom left: 1 area **with booster function** Ø220, 2.3 kW (max. 3 kW)
  - Top left: 1 induction area, Ø180, 1.4 kW
- 9 adjustable power levels with touch control + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Exclusive black glass design with **Cata & Can Roca** printed on it and front bevel
- **77 cm** wide
- **Total power 7.4 kW**
- **Front bevel**
- Automatic pan detection

Booster system

TC Slider

Safety lock

Timer

4 cooking areas



ISB 704 BK
Code **08081203**
EAN Code **8422248058407**

INDUCTION **SERIE IB**

Booster System: power and speed
Easy-clean
Touch control
Safety
Quick-Fix System

Booster System: power and speed

Series IB induction hobs offer the booster system, which speeds up the heating cycle by up to 45%. That means lower energy consumption, greater financial saving and less cooking time.

Easy-clean

Spilt liquids and food will never stick to the glass because it is not so hot. You can clean it and keep it like new just with a damp cloth.



Touch control

Intuitive-use glass touch-control panel. It has visual and sound warnings.

Safety

Start & Stop

The cooking area works only when it detects a pan, and turns off automatically when the pan is removed. That allows energy saving and improves safety.
In addition, only the part of the cooking area covered by the pan works, which prevents energy loss in the case of small pans.

Safety lock

Protection system allowing you to lock the hob to prevent misuse by children.

Automatic safety switch-off

Automatic cooking area switch-off to prevent possible accidents in the case of carelessness.

Residual heat indicator

Independent safety light for each area warning of the presence of residual cooking heat.

Cold glass

The pan is heated directly. This means that at the end of the cooking, the glass cools 4 times faster than a vitroceramic hob

Timer

For each cooking area, it is possible to program the automatic stop by means of a timer up to 99 minutes with a buzzer.

Buzzer

A timer-programmable buzzer.

Large cooking area ø 27cm



Quick-Fix System

A system enabling any induction hob to be installed fast and easily without screws or tools. The Quick-Fix System fixes the hob safely to any surface thickness.



INDUCTION SÉRIE IB
Système Booster : puissance et rapidité
Nettoyage facile
Contrôle tactile
Sécurité
Quick-Fix System

Système Booster : puissance et rapidité
Les plaques à induction de la série IB proposent le système Booster qui accélèrent jusqu'à 45% le cycle de chauffage. Cela permet une consommation énergétique inférieure, plus d'économies et un temps de cuisson inférieur.
Nettoyage facile
Les liquides et les aliments renversés ne vont pas coller à la vitre grâce à sa température réduite. Vous pourrez nettoyer et maintenir votre plaque comme neuve avec un simple chiffon humide.

Contrôle tactile
Panneau de commande tactile intuitif intégré dans le verre. Il dispose de dispositifs d'avertissement visuels et acoustiques.
Sécurité
Start & Stop
La area de cuisson ne fonctionne que quand elle détecte un récipient et elle s'arrête de façon automatique lorsque le récipient est retiré. Cela permet des économies d'énergie et plus de sécurité.
En outre, ne fonctionne que la partie de la area de cuisson qui est en contact avec le récipient. Cela évite les pertes d'énergie lorsque l'on utilise de petits récipients.
Blocage de sécurité
Système de protection permettant de bloquer la plaque pour empêcher que les enfants ne puissent s'en servir.
Déconnexion automatique de sécurité
Déconnexion automatique de la area de cuisson en cas d'absence afin d'éviter les accidents.
Témoin de chaleur résiduelle
Témoin lumineux de sécurité indépendant pour chaque area. Chaque témoin avertit de la présence de chaleur résiduelle venant de la cuisson.
Verre froid
Le récipient se réchauffe directement. Cela permet que le verre refroidisse 4 fois plus vite que sur une plaque vitrocéramique une fois la cuisson finie
Temporisateur
Il est possible de programmer l'arrêt automatique par le biais d'un temporisateur de jusqu'à 99 minutes avec alarme sonore pour chaque area de cuisson.
Alarme sonore
Alarme sonore programmable par temporisateur.
Grande Area de Cuisson de ø 27 cm
Quick-Fix System
Système qui permet d'installer n'importe quelle plaque de cuisson à induction de façon et rapide, sans avoir besoin de vis ni d'outils. Le Quick-Fix System permet de fixer la plaque cuisson en toute sécurité dans tous les cas de figure sans qu'importe l'épaisseur de la surface.

INDUCTION **SERIE IB**

Booster System: power and speed
Easy-clean
Touch control
Safety
Quick-Fix System



NEW



IB 604 BK

Booster | 4 areas | Safety lock | Timer

- **4 cooking areas**:
  - Top right: 1 area **with booster function** ø 220, 1.85kW (max. 2.1 kW)
  - Bottom right: 1 area, ø180, 1.4 kW
  - Top left: 1 area, ø180, 1.4 kW
  - Bottom left: 1 area **with booster function** ø 180, 1.4 kW (max. 1.85 kW)

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm** wide
- **Total power 6.7 kW**



IB 604 BK
Code **08074001**
EAN Code **8422248059213**

IB 604 WH

Booster | 4 areas | Safety lock | Timer

- **4 cooking areas**:
  - Top right: 1 area **with booster function** ø 220, 1.85kW (max. 2.1 kW)
  - Bottom right: 1 area, ø180, 1.4 kW
  - Top left: 1 area, ø180, 1.4 kW
  - Bottom left: 1 area **with booster function** ø 180, 1.4 kW (max. 1.85 kW)

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm** wide
- **Total power 6.7 kW**



IB 604 WH
Code **08074002**
EAN Code **8422248059220**

induction serie IB



IB 603 BK

Booster | 3 areas | Safety lock | Timer

- **3 cooking areas**:
  - Right: 1 giant area **with booster function**: ø270, 2.3 kW (max. 3 kW)
  - Bottom left: 1 area **with booster function**: ø 220, 2.3 kW (max. 3 kW)
  - Top left: 1 area, ø180, 1.4 kW

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm** wide
- **Total power 6.7 kW**



IB 603 BK
Code **08073001**
EAN Code **8422248051798**

IB 603 WH

Booster | 3 areas | Safety lock | Timer

- **3 cooking areas**:
  - Right: 1 giant area **with booster function**: ø270, 2.3 kW (max. 3 kW)
  - Bottom left: 1 area **with booster function**: ø 220, 2.3 kW (max. 3 kW)
  - Top left: 1 area, ø180, 1.4 kW

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm** wide
- **Total power 6.7 kW**



IB 603 WH
Code **08073002**
EAN Code **8422248054492**

INDUCTION **SERIE IB**

Booster System: power and speed
Easy-clean
Touch control
Safety
Quick-Fix System

NEW
TC SLIDER

IB 753 BK

Booster | 3 areas | Safety lock | Timer

- **3 cooking areas**:
  - Right: 1 giant area **with booster function** ø 270, 2.3kW (max. 3 kW)
  - Left: 1 area **with booster function** ø 220, 2.3 kW (max. 3 kW)
  - Centre: 1 area, ø180, 1.4 kW

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **77 cm** wide
- **Total power 6.7 kW**



IB 753 BK
Code **08081202**
EAN Code **8422248054478**

IB 772

Booster | 2 areas | Safety lock | Timer

- **2 cooking areas**:
  - Left: 1 area **with booster function** ø 270, 2.3kW (max. 3 kW)
  - Right: 1 area **with booster function** ø 220, 2.3kW (max. 3 kW)

- **TC slider**
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Front bevel**
- **77 cm** wide
- **Total power 6.0 kW**



IB 772
Code **08027205**
EAN Code **8422248060189**

induction serie IB

NEW
MIXED
INDUCTION + HIGH LIGHT

IB 302 BK

Booster · 2 areas · Safety lock · Timer

- **2 cooking areas**
  - Bottom: 1 area **with booster function** ø180, 1.4 kW (max. 2 kW)
  - Top: 1 area ø 180, 1.4kW

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **30 cm** wide
- **Total power 3.5 kW**



IB 302 BK
Code **08003203**
EAN Code **8422248054461**

IB 2 PLUS BK

Booster · 2 areas · Safety lock · Timer

- **2 cooking areas**:
  - Left: 1 area **with booster function** ø220, 2.3 kW (max. 3 kW)
  - Right: 1 area, ø180, 1.4 kW

- Touch control with sound warning
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Front bevel**
- **59 cm** wide
- **Total power 3.7 kW**



IB 2 PLUS BK
Code **08027203**
EAN Code **8422248055864**

IT 773

Booster · 3 areas · Safety lock · Timer

- **3 cooking areas**:
  - Right: 1 **induction** area **with booster function** ø220, 2.3 kW (max. 3 kW)
  - Left: **1 giant triple high light area**, ø270/210/140, 2.7/1.95/1.05 kW
  - Centre: 1 **induction** area, ø180, 1.4 kW

- **TC slider**
- 9 adjustable power levels + booster
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection (induction areas)
- **Front bevel**
- **77 cm** wide
- **Total power 6.4 kW**



IT 773
Code **08062205**
EAN Code **8422248060196**

VITROCERAMIC

Touch or mechanical controls
Safety
Triple ring power
Quick-Fix System

Touch or mechanical control

Intuitive use, easy-clean, touch-control panel integrated into the glass. It also has visual and sound warnings. The 604 HVI and VI 302 models come with mechanical controls, making them easier to use.

Safety

Safety lock

Protection system allowing you to lock the hob to prevent misuse by children. (Except models 604 HVI and VI 302)

Automatic safety switch-off

Automatic cooking area switch-off to prevent possible accidents in the case of carelessness. (Except models 604 HVI and VI 302)

Residual heat indicator

Independent safety light for each area warning of the presence of residual cooking heat.

Triple ring power

The triple ring will allow you to match the cooking area as closely as possible to the pan. Triple ring vitroceramic hobs offer 3 different adjustable and expandable areas on a single burner.

Versatility

The vitroceramic range includes models with 2, 3 and 4 cooking areas with diameters from 14 to 27 cm, different widths of 30/60 cm and with different control panels.

Quick-Fix System

A system enabling any vitroceramic hob to be installed fast and easily without screws or tools. The Quick-Fix System fixes the top safely to any surface thickness.

PLAQUES VITROCÉRAMIQUES
Commandes tactiles ou mécaniques
Sécurité
Puissance triple couronne
Quick-Fix System

Commande tactile ou mécanique
Panneau de commande tactile intégré dans le verre, utilisation intuitive et nettoyage facile. La plaque est également équipée d'alarmes visuelles et sonores. Les modèles 604 HVI et VI 302 sont fournis avec des commandes mécaniques pour une utilisation plus aisée.

Sécurité

Blocage de sécurité
Système de protection permettant de bloquer la plaque pour empêcher que les enfants ne puissent s'en servir. (Sauf pour les modèles 604 HVI et VI 302)

Déconnexion automatique de sécurité
Déconnexion automatique de la area de cuisson en cas d'absence afin d'éviter les accidents. (Sauf pour les modèles 604 HVI et VI 302)

Témoin de chaleur résiduelle
Témoin lumineux de sécurité indépendant pour chaque area. Chaque témoin avertit de la présence de chaleur résiduelle venant de la cuisson.

Puissance triple couronne
La triple couronne vous permettra de régler au maximum la taille entre le récipient et la area de cuisson. Les plaques vitrocéramiques avec triple couronne proposent 3 différentes areas réglables et extensibles en un seul feu.

Versatilité
Dans la gamme des plaques vitrocéramiques, vous disposerez des modèles de 2, 3 et 4 areas de cuisson avec des diamètres allant de 14 à 27 cm, des largeurs diverses de 30/60 cm et divers panneaux de commande.

Quick-Fix System
Système qui permet d'installer toute plaque de cuisson vitrocéramique de façon facile et rapide, sans que vous ayez besoin de vis ou d'outils. Le Système Quick-Fix permet de fixer la plaque en toute sécurité dans tous les cas de figure, sans qu'importe l'épaisseur de la surface.



TT 603

3 areas Safety lock

- **3 High Light cooking areas**:
  - Left: **1 giant triple area**, ø270/210/140, 2.7/1.95/1.05 kW
  - Bottom right: 1 area ø180, 1.8 kW
  - Top right: 1 area ø140, 1.2 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 5.7 kW**



TT 603
Code **08063007**
EAN Code **8422248051910**



T 604

4 areas Safety lock

- **4 High Light cooking areas**:
  - Top left: 1 area ø210, 2.3 kW
  - Bottom left: 1 area ø140, 1.2 kW
  - Bottom right: 1 area ø180, 1.8 kW
  - Top right: 1 area ø140, 1.2 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 6.5 kW**



T 604
Code **08052206**
EAN Code **8422248051828**

VITROCERAMIC

Touch or mechanical controls
Safety
Triple ring power
Quick-Fix System

NEW
Giant Double area
Extensible area



NEW
Giant Double area



TCDO 704

4 areas | Safety lock | Timer

- **4 High Light cooking areas**:
  - Top left: 1 area ø140, 1.2 kW
  - Bottom left: 1 area ø210/120, 2.2/0.75 kW
  - Top right: **1 double area** 265/ø170, 2.4/1.5 kW
  - Bottom right: 1 area ø180, 1.8 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **77 cm** wide
- **Total power 7.6 kW**



TCDO 704
Code **08025000**
EAN Code **8422248059244**

TCD 772

4 areas | Safety lock

- **2 High Light cooking areas**:
  - Right: 1 area ø180, 1.8 kW
  - Left: **1 giant double area** ø270/210, 2.4/1.5 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **77 cm** wide
- **Total power 4.2 kW**



TCD 772
Code **08079001**
EAN Code **8422248059237**

NEW
Giant Double area

TCD 604

4 areas | Safety lock

- **4 High Light cooking areas**:
  - Top left: 1 area ø140, 1.2 kW
  - Bottom left: **1 double area** ø210/120, 2.2/0.75 kW
  - Top right: 1 area ø180, 1.8 kW
  - Bottom right: 1 area ø140, 1.2 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Front bevel**
- **59 cm** wide
- **Total power 7.6 kW**



TCD 604
Code **08052001**
EAN Code **8422248056366**

NEW
Giant Double area
Extensible area



TCDO 604 BV

4 areas | Safety lock | Timer

- **4 High Light cooking areas**:
  - Top left: 1 area ø140, 1.2 kW
  - Bottom left: **1 double area** ø210/120, 2.2/0.75 kW
  - Top right: 1 area 265/ø170, 2.4/1.5 kW
  - Bottom right: 1 area ø140, 1.2 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **Front bevel**
- **59 cm** wide
- **Total power 7.0 kW**



TCDO 604 BV
Code **08052207**
EAN Code **8422248059251**

VITROCERAMIC

Touch or mechanical controls
Safety
Triple ring power
Quick-Fix System

NEW
Giant Double Area



NEW
2 areas ø180
2 areas ø140





TDN 603

3 areas | Safety lock

- **3 High Light cooking areas**:
  - Left: **1 giant double area**, ø270/210, 2.4/1.5 kW
  - Bottom right: 1 area ø180, 1.8 kW
  - Top right: 1 area ø140, 1.2 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 5.4 kW**



TDN 603
Code **08063010**
EAN Code **8422248058278**

TN 604

4 areas | Safety lock

- **4 High Light cooking areas**:
  - Top left: 1 area ø180, 1.8 kW
  - Bottom left: 1 area ø140, 1.2 kW
  - Top right: 1 area ø140, 1.2 kW
  - Bottom right: 1 area ø180, 1.8 kW
- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm** wide
- **Total power 6.0 kW**



TN 604
Code **08040010**
EAN Code **8422248058285**

604 HVI

4 areas

- **4 High Light cooking areas**:
  - Top left: 1 area ø140, 1.2 kW
  - Bottom left: 1 area ø180, 1.8 kW
  - Top right: 1 area ø180, 1.8 kW
  - Bottom right: 1 area ø140, 1.2 kW
- Mechanical control
- 6 adjustable power levels
- Residual heat indicator
- **59 cm** wide
- **Total power 6.0 kW**



604 HVI
Code **08072200**
EAN Code **8422248023627**

TD 302

2 areas Safety lock

- **2 High Light cooking areas**:
  - Top: **1 double area** ø 180/120, 1.7/0.7kW
  - Bottom: 1 area ø 140, 1.2kW

- Touch control with sound warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **30 cm** wide
- **Total power 2.9 kW**



TD 302
Code **08060006**
EAN Code **8422248051811**

VI 302

2 areas

- **2 High Light cooking areas**:
  - Top: 1 area ø 180, 1.8kW
  - Bottom: 1 area ø 140, 1.2kW

- Mechanical control
- 6 adjustable power levels
- Residual heat indicator
- **30 cm** wide
- **Total power 3.0 kW**



VI 302
Code **08049005**
EAN Code **8422248055857**

GAS ON-GLASS

Safety valve
Integrated electronic lighting
Maximum stability grilles
Rustic range

Safety

All models incorporate an automatic gas lighting system with safety valve.

Integrated electronic lighting

Each burner incorporates integrated electronic gas lighting.

Maximum stability grilles

All **CATA** glass gas hobs incorporate maximum-stability grilles.

Optimum distribution: LCI 631

The diamond-shaped distribution of the burners allows you to use pans measuring up to 34 cm without interfering with the other burners.

Versatility

In the glass gas range you will find models with 2, 3, 4 and 5 cooking zones with everything from 1 kW auxiliary burners to 3.5 kW ones and with widths of 30, 60, 70 and 90 cm, finished in white or black glass.

On the 70 cm-wide L 705 CI hob, you can enjoy 5 burners in a countersunk area of 60 cm.



All glass gas hobs are ready for use with natural gas (except for the CIB 631 model, exclusively for use with LPG). In the rest of the models, the box includes the easy-to-install accessories (injectors) for the use of LPG.

Rustic range

Our rustic gas glass hobs achieve perfect harmony with **CATA** rustic hoods and ovens.

Gas glass 90 cm: LCI 941 BK

For users who seek comfort and a large cooking area, a new 90 cm gas glass hob with cast iron grills and triple ring burner.



CRISTAL GAS
Valve de Sécurité
Allumage électronique intégré
Grilles proposant la meilleure stabilité
Gamme rustique

Sécurité
Tous les modèles sont équipés du système d'allumage automatique avec soupape de sécurité.

Allumage électronique intégré
Chaque feu est équipé du système d'allumage électronique intégré.

Grilles proposant la meilleure stabilité
Toutes les plaques de cuisson Cristal Gas de CATA sont équipées de grilles avec la stabilité maximale.

Distribution optimale : LCI 631
La distribution des feux en losange permet de placer des récipients de jusqu'à 34 cm sans qu'il n'y ait d'interférences avec les autres feux.

Versatilité
La gamme Cristal Gas propose des modèles avec 2, 3, 4 et 5 zones de cuisson avec des feux auxiliaires allant de 1 KW jusqu'à des feux triple couronne de 3,5 Kw, avec diverses largeurs de 30, 60, 70 et 90 cm. Toute la gamme propose des finitions en verre noir ou blanc.

Avec la plaque de cuisson L 705 CI d'une largeur de 70 cm, vous pourrez profiter de 5 feux sur une largeur d'encastrement de 60 cm.

Toutes les plaques de cuisson de la gamme Cristal Gas sont prévues pour être utilisées avec du gaz de ville (sauf le modèle CIB 631 qui est prévu pour être utilisé au Gaz Butane). Les autres modèles sont fournis avec des accessoires (injecteurs) faciles à installer pour l'usage au Gaz Butane.

Gamme rustique
Nos plaques de cuisson de la gamme 'cristal gas' rustiques s'intègrent parfaitement avec les hottes aspirantes et les fours rustiques CATA.

Cristal Gas 90 cm : LCI 941 BK
Pour les utilisateurs à la recherche de confort et d'une grande zone de cuisson, nouvelle plaque de cuisson de la gamme 'cristal gas' de 90 cm de largeur, avec grilles en fonte et brûleur triple couronne.

GAS ON-GLASS

Safety valve
Auto-ignition
Maximum stability grilles

NEW
90 cm, triple ring Cast Iron Grilles

LCI 941 BK

5 areas | Safety | Cast Iron

- **5 gas burners**:
  - Top left: 1 semi-rapid, 1.75 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Centre: 1 **triple ring**, 3.5 kW
  - Top right: 1 rapid, 3 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **87 cm** wide
- **Total power 10.9 kW**



LCI 941 BK
Code **08005402**
EAN Code **8422248054980**

LCI 912

3 areas | Safety | Cast iron

- **3 gas burners**:
  - Left: 1 **triple ring**, 4.2 kW
  - Centre: 1 semi-rapid, 1.75 kW
  - Right: 1 **triple ring**, 4.2 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **86 cm** wide
- **Total power 10,15 kW**



LCI 912
Code **08005403**
EAN Code **8422248055000**

gas on-glass

NEW
Dual voltage 110-230V

LCI 912 UV

3 areas | Safety | Cast iron

- **3 gas burners**:
  - Left: 1 **triple ring**, 4.2 kW
  - Centre: 1 semi-rapid, 1.75 kW
  - Right: 1 **triple ring**, 4.2 kW

- **Battery** operated auto-ignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **LPG**
- Natural gas injectors included in the box
- **86 cm** wide
- **Total power 10,15 kW**



LCI 912 UV
Code **08005405**
EAN Code **8422248058643**

LCI 702

2 areas | Safety | Cast iron

- **2 gas burners**:
  - Left: 1 **triple ring**, 3.5 kW
  - Right: 1 **triple ring**, 3.5 kW

- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **73 cm** wide
- **Total power 7 kW**



LCI 702
Code **08046405**
EAN Code **8422248055017**

GAS ON-GLASS

Safety valve
Integrated electronic lighting
Maximum stability grilles

NEW
Dual voltage 110-230V

LCI 702 UV

2 areas | Safety | Cast iron

- **2 gas burners**:
  - Left: 1 **triple ring**, 3.5 kW
  - Right: 1 **triple ring**, 3.5 kW

- **Battery** operated auto-ignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **LPG**
- Natural gas injectors included in the box
- **73 cm** wide
- **Total power 7 kW**



LCI 702 UV
Code **08046406**
EAN Code **8422248058650**

L 705 CI BK

5 areas | Safety | Cast iron

- **5 gas burners**:
  - Top left: 1 rapid, 3 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Centre: 1 **triple ring**, 3.5 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW

- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **70 cm wide with 60 cm** countersunk area
- **Total power 10.9 Kw**



L 705 CI BK
Code **08046403**
EAN Code **8422248023238**

gas on-glass

NEW

CB 702

2 areas | Safety | Enamelled

- **2 gas burners**:
  - Left: 1 **triple ring**, 3.5 kW
  - Right: 1 **triple ring**, 3.5 kW

- **Battery** operated auto-ignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **73 cm** wide
- **Total power 7 kW**



CB 702
Code **08046407**
EAN Code **8422248059169**

NEW

CI 712

3 areas | Safety | Enamelled

- **3 gas burners**:
  - Left: 1 **triple ring**, 3 kW
  - Centre: 1 auxiliary, 0.9 kW
  - Right: 1 **triple ring**, 3 kW

- **Battery** operated auto-ignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **LPG**
- Natural gas injectors included in the box
- **75 cm** wide
- **Total power 6.9 kW**



CI 712
Code **08020419**
EAN Code **8422248057370**

GAS ON-GLASS

Safety valve
Integrated electronic lighting
Maximum stability grilles

LCI 631 WH

4 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top: 1 semi-rapid, 1.75 kW
  - Bottom: 1 auxiliary, 1 kW
  - Right: 1 **triple ring**, 3.5 kW
  - Left: 1 rapid, 3 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm** wide
- **Total power 9.2 Kw**



LCI 631 WH
Code **08041007**
EAN Code **8422248055376**

LCI 631 BK

4 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top: 1 semi-rapid, 1.75 kW
  - Bottom: 1 auxiliary, 1 kW
  - Right: 1 **triple ring**, 3.5 kW
  - Left: 1 rapid, 3 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm** wide
- **Total power 9.2 Kw**



LCI 631 BK
Code **08041209**
EAN Code **8422248055369**

gas on-glass

NEW

LCI 302 BK

2 areas | Safety | Cast Iron

- **3 gas burners**:
  - Top: 1 semi-rapid, 3 kW
  - Bottom: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **30 cm** wide
- **Total power 4 Kw**



LCI 302 BK
Code **08047406**
EAN Code **8422248055093**

CI 631 A

4 areas | Safety | Enamelled

- **4 gas burners**:
  - Top left: 1 semi-rapid 1,75kW
  - Bottom left: 1 **triple ring** 3kW
  - Top right: 1 semi-rapid 1,75kW
  - Bottom right: 1 auxiliary 1kW
- Plug-in autoignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm wide**
- **Total power 7.5 Kw**



CI 631 A
Code **08041412**
EAN Code **8422248058681**

CB 631 A

4 areas | Enamelled

- **4 gas burners**:
  - Top left: 1 semi-rapid 1,75kW
  - Bottom left: 1 **triple ring** 3kW
  - Top right: 1 semi-rapid 1,75kW
  - Bottom right: 1 auxiliary 1kW
- **Battery** operated auto-ignition
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm wide**
- **Total power 7.5 Kw**



CB 631 A
Code **08068303**
EAN Code **8422248058698**

RUSTIC GAS GLASS

Safety valve
Integrated electronic lighting
Maximum stability grilles
Rustic range

NEW RUSTIC White Glass

NEW RUSTIC Ivory Glass

RCI 631 BK

5 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top left: 1 **triple ring**, 3.5 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm** wide
- **Total power 8.1 Kw**



RCI 631 BK
Code **08028403**
EAN Code **8422248055024**

RCI 631 WH

5 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top left: 1 **triple ring**, 3.5 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm** wide
- **Total power 8.1 Kw**



RCI 631 WH
Code **08028003**
EAN Code **8422248058674**

RCI 631 IVORY

5 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top left: 1 **triple ring**, 3.5 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **60 cm** wide
- **Total power 8.1 Kw**



RCI 631 IVORY
Code **08028801**
EAN Code **8422248054546**

STAINLESS STEEL GAS

Strength
Safety
Maximum stability grilles

Strength

Gas hobs finished in stainless steel incorporate quality in each and every one of the components used, offering strength and durability at a very competitive price.

Safety

All models incorporate an automatic gas lighting system with safety valve.

Maximum stability grilles

The design of the grilles, both in cast and enamelled iron (like the wok accessory incorporated in the LGI 631 model), offers a large support area for all types of pan.

GAS INOX
Résistance
Sécurité
Grilles proposant la meilleure stabilité

Résistance
Toutes les pièces des plaques de cuisson à gaz avec finition en acier inoxydable sont des pièces d'excellente qualité. Elles proposent résistance et durabilité à un prix très compétitif.

Sécurité
Tous les modèles sont équipés du système d'allumage automatique avec soupape de sécurité.

Grilles proposant la meilleure stabilité
La forme des grilles, qu'il s'agisse des modèles en fonte ou émaillés (tout comme l'accessoire pour Wok fourni avec le modèle LGI 631), propose une importante surface d'appui pour tout type de récipients.

stainless steel gas

L 905 TI

5 areas | Safety | Cast Iron

- **5 gas burners**:
  - Top left: 1 rapid, 3 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Centre: 1 **triple ring**, 3.5 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **85 cm wide with 70 cm** countersunk area
- **Total power 10.9 Kw**



L 905 TI
Code **08005300**
EAN Code **8422248044080**

L 705 TI

5 areas | Safety | Cast Iron

- **5 gas burners**:
  - Top left: 1 rapid, 3 kW
  - Bottom left: 1 semi-rapid, 1.75 kW
  - Centre: 1 **triple ring**, 3.5 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **68 cm wide with 60 cm** countersunk area
- **Total power 10.9 Kw**



L 705 TI
Code **08036303**
EAN Code **8422248023221**

LGD 631

4 areas | Safety | Cast Iron

- **4 gas burners**:
  - Top: 1 semi-rapid, 1.75 kW
  - Bottom: 1 auxiliary, 1 kW
  - Right: 1 **triple ring**, 3.5 kW
  - Left: 1 rapid, 3 kW
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **58 cm** wide
- **Total power 9.2 Kw**



LGD 631
Code **08066002**
EAN Code **8422248058735**

STAINLESS STEEL GAS

Strength
Safety
Maximum stability grilles

NEW

LGI 631

- **4 gas burners**:
  - Top left: 1 **triple ring**, 3.5 kW
  - Bottom left: 1 auxiliary, 1 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 semi-rapid, 1.75 kW
- **wok accessory incorporated for burner triple ring**
- Plug-in autoignition
- Safety valves
- **Cast iron** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total power 8.3 Kw**



LGI 631
Code **08006300**
EAN Code **8422248055062**

GI 631

- **4 gas burners**:
  - Top left: 1 semi-rapid, 1.75 kW
  - Bottom left: 1 **triple ring**, 3.5 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- Plug-in autoignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total power 8.3 Kw**



GI 631
Code **08066010**
EAN Code **8422248055048**

XB 631

- **4 gas burners**:
  - Top left: 1 semi-rapid, 1.75 kW
  - Bottom left: 1 **triple ring**, 3 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW
- **Battery** operated auto-ignition
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total power 7.5 Kw**



XB 631
Code **08066001**
EAN Code **8422248058728**

stainless steel gas

GI 604

4 areas | Safety | Enamelled

- **4 gas burners**:
  - Top left: 1 semi-rapid, 1.75 kW
  - Bottom left: 1 rapid, 3 kW
  - Top right: 1 semi-rapid, 1.75 kW
  - Bottom right: 1 auxiliary, 1 kW

- Plug-in autoignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total power 7.5 Kw**



GI 604
Code **08066320**
EAN Code **8422248055079**

GI 302

2 areas | Safety | Enamelled

- **2 gas burners**:
  - Top: 1 rapid, 3 kW
  - Bottom: 1 auxiliary, 1 kW

- Plug-in autoignition
- Safety valves
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **29 cm** wide
- **Total power 4 Kw**



GI 302
Code **08039311**
EAN Code **8422248058742**

302 TI

2 areas | Enamelled

- **2 gas burners**:
  - Top: 1 rapid, 3 kW
  - Bottom: 1 auxiliary, 1 kW

- Plug-in autoignition
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **29 cm** wide
- **Total power 4 Kw**



302 TI
Code **08039310**
EAN Code **8422248055109**

F
12:31

Ovens

CATA ovens are made with the most advanced technology and the latest components, achieving high-quality products that will give you pleasure in the art of cooking. They stand out because of their design, innovation, energy efficiency and maximum safety. They provide elegance and exclusiveness. The range of models includes ovens with large interior capacities, pyrolytic ovens and ovens with the new AquaSmart water clEAN Codeing system.

Fours

Les fours **CATA** sont fabriqués avec des technologies de pointe et des composants de la dernière génération. CATA propose ainsi des produits d'excellente facture grâce auxquels vous prendrez plaisir à l'art de cuisiner. Ils se distinguent de par leur conception, leur innovation, leur efficacité énergétique et la sécurité maximale qu'ils proposent. Ils fournissent élégance et exclusivité. Dans la vaste gamme des modèles que nous proposons, vous trouverez des fours de grande capacité, des fours à pyrolyse ou des fours équipés du nouveau système de nettoyage par eau AquaSmart.

OVENS and MICROOWAVES

OVENS cata & Can Roca



HGR 110 AS BK p132

HGR 110 AS WH p133

SERIE 800

LC 8110 PYRO BK p136

LC 890 D BK p137

LC 840 BK p137

SERIE 700

CDP 780 AS BK p140

CDP 780 AS WH p140

CD 760 AS BK p141

CM 760 AS WH p141

CM 760 AS BK p141

SERIE 600

ME 611 DI p144



ME 605 TCP p144

ME 605 TC p144

ME 605 G p145

ME 605 p145



SE 604 I p145

ME 910 p146

ME 406 D p146

ME 405 I p146

MR 608 I WH p148

MR 608 I BK p148

MR 608 I IVORY p148

GAS OVENS

NEW

HG 600 p149

NEW

HFG 600 p149

NEW

HFG 900 p149

MICROWAVES cata & Can Roca

BUILT-IN

MC 25 GTC BK p152

MC 25 GTC WH p153

MICROWAVES BUILT-IN

NEW

MC 28 D BK p154

NEW

MC 28 D WH p154

MC 32 DC p155

MC 25 D p155

MC 20 D p156

NEW

MC 20 IX p156

FREE INSTALLATION

FS 20 WH p157

FS 20 BK p157

OVENS

aQuaSmart® clEAN Codeing s
High precision hinges
100% tactile digital control panel
Perfect combination with microwave in column
Fitted with all necessary accessories

Cata & Can Roca range

The **Cata & Can Roca** series of ovens use state-of-the-art technology. Thanks to Cata's collaboration with the Roca brothers, a singular range of ovens has been developed which offer maximum excellence for those who understand cooking as a unique experience.

aQuaSmart® CIEAN Codeing system
The simplest clEAN Codeing

In CATA, always thinking of user comfort, we have developed an innovative system for effortless efficient oven clEAN Codeing. Thanks to the action of the steam, in just 15 minutes and 4 easy steps, your oven like new, saving time and money:

- Pour 200 ml of water and soap into the bottom of the oven
- Set the oven to the steam clEAN Codeing function: for 15 minutes at 200º
- Leave the oven to cool for 20 minutes
- ClEAN Code with a soft cloth.

aQuaSmart®

1-Remove all interior elements.

2-Pour 200 ml of water and soap inside.

3-Select the function for 15 minutes at 200ºC

4-Leave to cool for 20 minutes and clEAN Code with a soft cloth.

High precision hinge

The new hinges will close the door safely and comfortably (available in all models). This new system closes slowly and silently, avoiding awkward knocks.

Fitted with all necessary accessories

For greater comfort, the Can Roca series of ovens include a larger tray 5 cm deep, recommended for roast food with liquids or sauces, a baking tray and a grill.

100% tactile Digital Control Panel

The totally digital oven and microwave control panel gives maximum visibility and simplicity as the cooking, temperature and timer functions are selected and controlled from the control panel. The latest technology used in Cata & Can Roca ovens will help you enjoy your oven with elegance.

Perfect column integration: Oven + microwave

The exclusive Can Roca collection offers black and white glass finishes with totally symmetric integration in the column combination with the Cata & Can Roca microwaves. Thanks to the design of its 100% digital control panel, the same exterior glass used and an identical design, this combination supports a harmonious design in line with your kitchen.

FOURS
Système de nettoyage AquaSmart
Charnières de haute précision
Panneau de contrôle numérique 100% tactile
Combinaison parfaite colonne avec micro-ondes
Ils sont équipés avec tous les accessoires nécessaires

Gamme Cata & Can Roca
Les fours de la série Cata & Can Roca se basent sur les dernières technologies. La collaboration entre CATA et les frères Roca a permis de développer une gamme de fours incomparable. Ces fours proposent l'excellence pour ceux pour qui la cuisine est une expérience unique.

Système de Nettoyage
Le plus facile des nettoyages
Chez CATA, nous avons développé un système novateur servant à faciliter le nettoyage efficace des fours sans effort, en ayant toujours en tête le confort de l'utilisateur. Grâce à l'action de la vapeur d'eau et en 4 étapes simples, votre four sera comme neuf en à peine 15 minutes. Vous économiserez du temps et de l'argent :

• Versez 200 ml d'eau savonneuse dans la partie inférieure du four
•Sélectionnez la fonction nettoyage du four à la vapeur : pendant 15 minutes à 200º
•Laissez refroidir le four pendant 20 minutes
•Nettoyez avec un chiffon ou un torchon doux.

1-Retirez les éléments intérieurs.
2-Versez 200 ml d'eau savonneuse à l'intérieur.
3-Sélectionnez la fonction pendant 15 minutes à 200º C
4-Laissez refroidir 20 minutes et nettoyez avec un chiffon doux.

Charnière de haute précision
Grâce aux nouvelles charnières, la fermeture de la porte sera sûre et aisée (disponibles pour tous les modèles). Ce nouveau système réalise une fermeture lente et silencieuse qui évite les coups désagréables.

Ils sont équipés avec tous les accessoires nécessaires
Pour plus de confort, les fours de la série Can Roca sont équipés d'une grande plaque de 5 cm de profondeur qui est idéale pour les viandes et les poissons rôtis et pour les plats avec des liquides ou des sauces. Ils disposent également d'une plaque à pâtisserie et d'une grille.

Panneau de contrôle numérique 100% tactile
Le panneau de commande des fours et des micro-ondes est entièrement numérique. Il fournit visibilité et facilité d'utilisation maximales étant donné que vous les contrôlez très facilement d'un seul doigt. Vous pourrez sélectionner et contrôler les fonctions de cuisson, température ou le temporisateur à partir du panneau de commande. La technologie dernier cri utilisée dans les fours de la gamme Cata & Can Roca vous feront profiter de votre four en apportant de l'élégance à votre cuisine.

Parfaite Intégration colonne : Four + Micro-ondes
La collection exclusive Can Roca propose des finitions en verre noir et blanc avec intégration et symétrie totale dans la combinaison colonne avec micro-ondes CATA et Can Roca. Grâce à la conception de son panneau de contrôle 100% digital, fabriqué avec le même matériel extérieur et disposant du même design que les fours, cette combinaison propose une esthétique harmonieuse dans votre cuisine.

HGR 110 AS BK

- **Multifunction** oven - 10 functions
- **Sequential control** panel **100% tactile**
- Cooking start/stop programming
- Temperature pre-selection for each function
- 3 levels for placing easy-to-move trays
- **2 100% removable telescopic guides**
- Cold door, **triple glass** with tangential ventilation
- Accessories: 1 tray 3 cm, 1 deep tray 5 cm and 1 grill
- System aQuaSmart
- Exclusive **Cata & Can Roca designed with a black glass finish**
- **60 cm** wide
- Interior capacity 59 litres
- **Energy class A"**





A

HGR 110 AS BK
Code **07042311**
EAN Code **8422248059527**

HGR 110 AS WH

- **Multifunction** oven - 10 functions
- **Sequential control** panel **100% tactile**
- Cooking start/stop programming
- Temperature pre-selection for each function
- 3 levels for placing easy-to-move trays
- **2 100% removable telescopic guides**
- Cold door, **triple glass** with tangential ventilation
- Accessories: 1 tray 3 cm, 1 deep tray 5 cm and 1 grill
- System aQuaSmart
- Exclusive **Cata & Can Roca designed with a white glass finish**
- **60 cm** wide
- Interior capacity 59 litres
- **Energy class A"**





A

HGR 110 AS WH
Code **07042011**
EAN Code **8422248059534**

SERIES **800**

XXL interior capacity
Pyrolytic Cleaning
Larger surface trays

XXL interior capacity

The new **series 800** has the same standard exterior dimensions and offers an internal capacity of **70 litres**, one of the largest in its category. Ideal for large families or anyone seeking to make the most of their oven because they can cook more than one dish at a time. It has 5 levels for trays and 1 removable guide.

Pyrolytic Cleaning

The **LC 8110 PYRO BK**, carbonises the food stuck to the walls at a temperature of 500ºC, turning organic material into CO2 and steam. Pyrolysis is a cleaning system that saves you time and effort. Perfect ventilation protecting surrounding units. This model also has a cold door with 4 panes of glass.



100% removable telescopic guide

Larger surface trays

The **series 800** trays offer up to 20% more surface area.

Series 800 functions / Fonctions Série 800

- **Pyrolysis clean Codeing** — Nettoyage par pyrolyse
- **Defrosting** — Décongélation
- **Total Ventilated Grill** — Gril total ventilé
- **Double grill** — Grill double
- **Grill** — Grill
- **Traditional, Fan-Assisted Cooking** — Cuisson traditionnelle ventilée
- **Traditional Cooking** — Cuisson traditionnelle
- **Underfloor element** — Résistance sole
- **Circular Turbo** — Turbo circulaire
- **Safety lock** — Blocage de sécurité
- **Interior lighting** — Lumière intérieure

SÉRIE 800
Capacité intérieure **XXL**
Nettoyage à pyrolyse
Plaques avec surface supérieure

Capacité intérieure XXL
La nouvelle **série 800** dispose des mesures extérieures standard et propose une capacité intérieure de **70 litres**, une des plus grandes de sa catégorie. Idéal pour les familles nombreuses ou pour tous ceux qui veulent tirer le plus grand parti de leur four, car il permet de cuisiner plus d'un plat à la fois. Le four dispose de 5 niveaux de hauteur pour les plaques et d'un guide amovible.

Nettoyage à pyrolyse
Le modèle **LC 8110 PYRO BK**, carbonise les aliments accrochés aux parois intérieures grâce à la température de 500ºC qui est atteinte, convertissant la matière organique en CO2 et en vapeur d'eau. La pyrolyse est un système de nettoyage qui vous permettra de faire des économies de temps et moins d'efforts. Ce four propose une ventilation idéale qui protège les meubles qui se trouvent tout autour. Ce modèle dispose en outre d'une porte froide avec 4 vitres.

Plaques avec surface supérieure
Les plaques de la **série 800** proposent une surface jusqu'à 20% supérieure.

Guide télescopique amovible à 100 %
Porte froide à 4 vitres

SERIES **800**

XXL interior capacity
Pyrolytic Cleaning
Larger surface trays

NEW
Large Capacity
Pyrolytic Cleaning
1 removable guide

LC 8110 PYRO BK

- **Multifunction Pyrolytic** Oven - 11 Functions
- Removable **Push/Pull controls**
- Digital display with temperature and times
- Cooking start/stop programming
- Temperature pre-selection for each function
- 4 levels for placing easy-to-move trays
- **1 100% removable telescopic guide**
- Cold door **4 panes of glass**
- Accessories: Tray and grill
- **Pyrolysis cleaning system**
- Finished in stainless steel and black glass
- 60 cm wide
- **XXL** interior capacity of **70 litres**
- Energy class A



LC 8110 PYRO BK
Code **07042303**
EAN Code **8422248058629**

ovens series 800

NEW
Large Capacity
1 removable guide
Push-Pull Controls

LC 890 D BK

- **Multifunction** Oven - 8 Functions
- Removable **Push/Pull controls**
- Digital display with temperature and times
- Cooking start/stop programming
- 4 levels for placing easy-to-move trays
- **1 100% removable telescopic guide**
- Cold door
- Accessories: Tray and grill
- **Pyrolysis cleaning system**
- Special easy-to- clean non-stick enamel
- Finished in stainless steel and black glass
- 60 cm wide
- **XXL** interior capacity of **70 litres**
- Energy class A



LC 890 D BK
Code **07002402**
EAN Code **8422248058599**

NEW
Large Capacity

LC 840 BK

- **Static** Oven - 4 functions
- **Mechanical** cooking programmer
- 5 levels for trays
- Cold door
- Accessories: Tray and grill
- Special easy-to- clean non-stick enamel
- Finished in stainless steel and black glass
- 60 cm wide
- **XXL** interior capacity of **70 litres**
- Energy class A



LC 840 BK
Code **07002400**
EAN Code **8422248058575**

SERIES **700**

aQuaSmart® system
High precision hinges
"Full Glass" panoramic door
Deep tray

aQuaSmart® system

Enjoy the simplest cleaning with steam, in just 15 minutes and in 4 easy steps to leave your oven as new; save time and money.

aQuaSmart®

1-Remove all interior elements.

2-Pour 200 ml of water and soap inside.

3-Select the function for 15 minutes at 200ºC

4-Leave to cool for 20 minutes and clean with a soft cloth.

High precision hinges

The new hinges will close the door safely and comfortably (available in all models). This new system closes slowly and silently, avoiding awkward knocks.

"Full Glass" panoramic door
Deep tray

All series 700 models have a panoramic door to give a better view of the inside of the other, as well as comfortable and easy cleaning.

For greater comfort, the series includes a larger tray (5 cm deep), recommended for roasts and food with liquids or sauces.

SÉRIE 700
Système AquaSmart
Charnières haute précision
Porte Panoramique "Full Glass"
Plat de four profond

Système AquaSmart
Profitez du plus simple des nettoyages grâce à l'action de la vapeur d'eau : en 15 minutes à peine et en 4 étapes simples, votre four sera comme neuf ; économisez du temps et de l'argent.
1-Retirez les éléments intérieurs.
2-Versez 200 ml d'eau savonneuse à l'intérieur.
3-Sélectionnez la fonction pendant 15 minutes à 200º C
4-Laissez refroidir 20 minutes et nettoyez avec un chiffon doux.

Charnières haute précision
Grâce aux nouvelles charnières, la fermeture de la porte sera sûre et aisée (disponibles pour tous les modèles). Ce nouveau système réalise une fermeture lente et silencieuse qui évite les coups désagréables.

Porte Panoramique "Full Glass"
Plat de four profond
Tous les modèles de la série 700 sont équipés d'une porte panoramique. Elle vous permettra de profiter d'une meilleure vision de l'intérieur du four et elle vous permettra également un nettoyage pratique et facile.
Pour un meilleur confort, cette série inclut un plateau d'une capacité supérieure (5 cm de profondeur), l'idéal pour les viandes et les poissons rôtis et les aliments contenant des liquides ou des sauces.

SERIE **700**

aQuaSmart® system
High precision hinges
“Full Glass” panoramic door
Deep tray

NEW
AquaSmart system

CDP 780 AS BK

- **Multifunction** oven - 8 functions
- Removable **Push/Pull controls**
- Digital cooking programmer
- 3 levels for placing easy-to-move trays
- **1 100% removable telescopic guide**
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- **AquaSmart** system
- Finished in black glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



CDP 780 AS BK
Code **07001401**
EAN Code **8422248059503**

NEW
AquaSmart system

CDP 780 AS WH

- **Multifunction** oven - 8 functions
- Removable **Push/Pull controls**
- Digital cooking programmer
- 3 levels for placing easy-to-move trays
- **1 100% removable telescopic guide**
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- **AquaSmart** system
- Finished in white glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



CDP 780 AS WH
Code **07001001**
EAN Code **8422248059510**

hornos serie 700

NEW
AquaSmart system

CD 760 AS BK

- **Multifunction** oven - 6 functions
- Digital cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- **AquaSmart** system
- Finished in black glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



CD 760 AS BK
Code **07001308**
EAN Code **8422248059541**

NEW
AquaSmart system
Finished in WHITE glass

CM 760 AS WH

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- **AquaSmart** system
- Finished in white glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



CM 760 AS WH
Code **07032002**
EAN Code **8422248058568**

NEW
AquaSmart system

CM 760 AS BK

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- **AquaSmart** system
- Finished in black glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



CM 760 AS BK
Code **07032307**
EAN Code **8422248059497**

SERIES **600**

Multiple measures: 45, 60 and 90
New digital touch control
Rustic oven range

Multiple measures: 45, 60 and 90

The series 600 offers you the solution you are looking for thanks to the range of models, which include built-in ovens of 45 cm, ovens with a standard width of 60 cm and also 90 cm. The different finishes include stainless steel, black or white glass.

New digital touch control

The new control panel in the **ME 605 TC** makes handling easier and also gives maximum visibility.

Rustic oven range

The new **CATA** rustic ovens will fit perfectly into your kitchen.

SÉRIE 600
Mesures diverses : 45, 60 et 90
Nouveau contrôle digital tactile
Gamme de fours rustiques

Mesures diverses : 45, 60 et 90
Dans la série 600, vous pourrez trouver la solution que vous cherchez, grâce à la gamme de modèles proposant un four encastrable de 45 cm, un four standard de 60 ou 90 cm de largeur. La gamme vous propose parmi les diverses finitions les finitions inox ainsi que le verre noir ou blanc.

Nouveau contrôle digital tactile
Le nouveau panneau de commande du modèle 605 TC rend l'usage plus aisé et sa visibilité est maximale.

Gamme de fours rustiques
Les nouveaux fours rustiques CATA s'assortiront parfaitement dans votre cuisine.

SERIES **600**

Multi-function
New digital touch control

NEW
Push-Pull Controls

NEW
Tactil Digital Control

ME 611 DI

- **Multifunction** oven - 8 functions
- **Backlit Push/Pull controls**
- **Digital** cooking programmer
- 3 levels for placing easy-to-move trays
- **1 100% removable telescopic guide**
- Panoramic door easy clean interior
- Cold door **triple glass**
- Accessories: tray and grill
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity 59 litres
- Energy class A



ME 611 DI
Code **07004301**
EAN Code **8422248050883**

ME 605 TCP

- **Multifunction** oven - 5 functions
- **Backlit Push/Pull controls**
- **Digital** cooking programmer
- 4 levels for placing easy-to-move trays
- Accessories: tray and grill
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity 57 litres
- Energy class A



ME 605 TCP
Code **07030308**
EAN Code **8422248058544**

ME 605 TC

- **Multifunction** oven - 5 functions
- **Digital** cooking programmer
- 4 levels for placing easy-to-move trays
- Accessories: tray and grill
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity 57 litres
- Energy class A



ME 605 TC
Code **07030307**
EAN Code **8422248058537**

Multi-function

Static

NEW
Glass finish

ME 605 G

- **Multifunction** oven - 5 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Accessories: tray and grill
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity 57 litres
- Energy class A



ME 605 G
Code **07030306**
EAN Code **8422248058520**

ME 605

- **Multifunction** oven - 5 functions
- **Digital** cooking programmer
- 4 levels for placing easy-to-move trays
- Accessories: tray and grill
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel
- 60 cm wide
- Interior capacity 57 litres
- Energy class A



ME 605
Code **07030303**
EAN Code **8422248055475**

SE 604 I

- **Static** Oven - 4 functions
- **Mechanical** cooking programmer
- 4 levels for trays
- Accessories: Tray and grill
- Easy clean system
- **Finished in stainless steel or white**
- 60 cm wide
- Interior capacity 57 litres
- Energy class A



SE 604 I
Code **07044306**
EAN Code **8422248055147**

SERIES **600**

Multi-function
90 cm wide

Multi-function
Compact series 45 cm



ME 910

- **Multifunction** oven - 8 functions
- **Digital** cooking programmer
- 2 interior lights
- 1 roast kit
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **triple glass**
- Accessories: tray and grill
- Easy clean system
- Finished in stainless steel
- 90 cm wide
- Interior capacity **105 litres**
- Energy class A



ME 910
Code **07039303**
EAN Code **8422248055178**

ME 406 D

- **Multifunction** oven - 6 functions
- **Digital** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **triple glass**
- Accessories: tray and grill
- Easy clean system
- Finished in stainless steel
- 60 cm wide
- Built into a 45 cm unit
- Interior capacity **43 litres**
- Energy class A



ME 406 D
Code **07025302**
EAN Code **8422248055161**

ME 405 I

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **triple glass**
- Accessories: tray and grill
- Easy clean system
- Finished in stainless steel
- 60 cm wide
- Built into a 45 cm unit
- Interior capacity **43 litres**
- Energy class A



ME 405 I
Code **07003302**
EAN Code **8422248048422**

cata
cata

SERIES **600**

Multi-function
Rustic oven range
Easy clean system, catalytic

MR 608 I WH

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- Easy clean system, catalytic
- Finished in rustic white
- 60 cm wide
- Interior capacity **59 litres**
- Energy class A



MR 608 I WH
Code **07035005**
EAN Code **8422248047647**

MR 608 I BK

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- Easy clean system, catalytic
- Finished in rustic black
- 60 cm wide
- Interior capacity **59 litres**
- Energy class A



MR 608 I BK
Code **07035405**
EAN Code **8422248047654**

MR 608 I IVORY

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and grill
- Easy clean system, catalytic
- Finished in rustic ivory
- 60 cm wide
- Interior capacity **59 litres**
- Energy class A



MR 608 I IVORY
Code **07035802**
EAN Code **8422248047661**

Gas operation with electric grill
Large capacity of up to 105 litres with the 900
“Chicken roaster” function



HG 600

- **Gas oven with electric grill -** 4 functions
- **Mechanical** cooking programmer
- Thermostat: adjustable up to 270º in gas mode and up to 240º in grill mode
- 5 shelf positions
- Triple glazed glass door
- Accessories: tray, grill and **roast kit**
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity **67 litres**
- **power: electric 1.8 kW, Gas 2.5 kW**

HFG 600

- **Gas oven -** 4 functions
- **Mechanical** cooking programmer
- Thermostat: adjustable up to 270º
- 5 shelf positions
- Triple glazed glass door
- Accessories: tray, grill and **roast kit**
- Finished in stainless steel and black glass
- 60 cm wide
- Interior capacity **67 litres**
- **power: top gas 1.7 kW, Bottom gas 2.5 kW**

HFG 900

- **Gas oven -** 4 functions
- **Mechanical** cooking programmer
- Thermostat: adjustable up to 270º
- 4 shelf positions
- Triple glazed glass door
- Accessories: tray, grill and **roast kit**
- Finished in stainless steel
- 90 cm wide
- Interior capacity **100 litres**
- **power: top gas 2 kW, Bottom gas 3.6 kW**







HG 600
Code **07031302**
EAN Code **8422248055192**

HFG 600
Code **07031303**
EAN Code **8422248058605**

HFG 900
Code **07031305**
EAN Code **8422248058612**

MICROWAVES

Convection microwave
Stainless steel interior
Perfect integration
Finished in white glass

Convection microwave

The 32 Litre **MC 32** microwave, in fingerprint-proof stainless steel and with a push/pull control, offers the advantages and cooking quality of a conventional oven combined with the speed of a large capacity microwave.

Microwave

The microwave function offers speed in preparing food.
La fonction micro-ondes vous permet de profiter de la rapidité dans la préparation des aliments.

Grill

The grill function toasts and grills food.
La fonction Gril dore ou gratine les aliments.

Convection

The incorporation of the fan gives uniform temperature distribution, increasing the cooking quality.
L'ajout du ventilateur permet une distribution uniforme de la température en augmentant la qualité de cuisson.

Combination: Microwave + Convection



The cooking quality of a conventional oven and the speed of a large volume microwave.
Qualité de cuisson d'un four conventionnel et rapidité d'un four à micro-ondes de grand volume.

28L microwave

New range of **28L microwaves**, with finishes in white or black glass, stainless steel interior, grill and push/pull control.

Fast start button

Start the microwave with a single press. Successive presses increase the time in sequences of 30 seconds.

Easy to install

In under 5 minutes, you will have your microwave ready to use

Stainless steel interior

All **CATA** built-in microwaves have a stainless steel interior for easier cleaning.

Perfect integration

In **CATA** we take care of the finer details, the combination of the oven and microwave fits in perfectly with 100% symmetry.

MICRO-ONDES
Micro-ondes à Convection
Acier inoxydable intérieur
Parfaite intégration
Finition en verre blanc

Micro-ondes à Convection
Les Micro-ondes de 32 Litres MC 32, avec finition inox anti-traces et commande push pull, proposent les avantages et la qualité de cuisson d'un four conventionnel qui s'associe à la rapidité d'un four à micro-ondes de grande capacité.

Micro-ondes 28 l
Nouvelle gamme de Micro-ondes de 28 l, avec finitions en verre blanc ou noir, intérieur en inox, gril et commande push pull.

Bouton de démarrage rapide
Démarrez le Micro-ondes avec une seule pulsation. Avec des pulsations successives, augmentez la durée avec des séquences de 30 secondes.

Installation Facile
En moins de 5 minutes, votre four à micro-ondes est prêt à être utilisé

Acier inoxydable intérieur
Tous les micro-ondes encastrables CATA disposent d'un intérieur en acier inoxydable qui facilite le nettoyage.

Parfaite intégration
Chez CATA, nous soignons le moindre détail. La combinaison du four et du four à micro-ondes maintient une intégration et une symétrie parfaites à 100 %.

MC 25 GTC BK

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in **black glass**
- 60 cm wide

Fast start button

Maximum ease of use.
100% Touch

Quartz Grill
1000 W

Easy cleaning full glass



MC 25 GTC BK
Code **07510400**
EAN Code **8422248055277**

MC 25 GTC WH

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in **white glass**
- 60 cm wide

Fast start button

Maximum ease of use.
100% Touch

Quartz Grill
1000 W

Easy cleaning full glass



MC 25 GTC WH
Code **07510000**
EAN Code **8422248055260**

BUILT-IN MICROWAVE

Convection microwave
Stainless steel interior
Perfect integration
Finished in white glass

MC 28 D BK

- **28 litre** built-in microwave
- Simultaneous 1,000 W grill
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel and black glass
- 60 cm wide

MC 28 D WH

- **28 litre** built-in microwave
- Simultaneous 1,000 W grill
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel and white glass
- 60 cm wide





MC 28 D BK
Code **07510402**
EAN Code **8422248058490**

MC 28 D WH
Code **07510002**
EAN Code **8422248058483**

built-in microwave

MC 32 DC

- **32 litre** built-in microwave
- Simultaneous 1,100 W grill
- Five power levels, 900 W output
- **Convection fan 2,500W (total power)**
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 10 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in anti-fingerprint stainless steel
- 60 cm wide



MC 32 DC
Code **07510303**
EAN Code **8422248055253**

MC 25 D

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel
- 60 cm wide



MC 25 D
Code **07510300**
EAN Code **8422248048453**

BUILT-IN MICROWAVE

Stainless steel interior
Perfect integration

MC 20 D

- **20 litre** built-in microwave
- Simultaneous 1,000 W grill
- Five power levels, 800 W output
- **Stainless steel interior**
- Revolving dish ø 245 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel
- 60 cm wide



MC 20 D
Code **07510301**
EAN Code **8422248049450**

NEW

MC 20 IX

- **20 litre** built-in microwave
- Simultaneous 1,100 W grill
- Five power levels, 800 W output
- **Stainless steel interior**
- Revolving dish ø 245 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- Fast start button
- **Easy to install**
- Finished in stainless steel
- 60 cm wide



MC 20 IX
Code **07510306**
EAN Code **8422248058476**

FREE STANDING MICROWAVE

Grill
Digital

FS 20 WH

- **20 litre** microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- White finish
- 60 cm wide

FS 20 BK

- **20 litre** microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Black finish
- 60 cm wide





FS 20 WH
Code **07501000**
EAN Code **8422248055239**

FS 20 BK
Code **07501400**
EAN Code **8422248055185**

cata

Sinks and Taps

Wide range of reliable and lasting products adapting to your kitchen.

Éviers et Robinets

Vaste gamme de produits fiables et durables qui s’adaptent à votre cuisine.

cata

SINKS / ÉVIERS

UNDERMOUNT SINKS / ÉVIERS À ENCASTRER

CB 2 p115

CB 50-40 p115

CB 45-40 p116

CB 40-40 p116

SINKS STANDING ON SURFACE / ÉVIERS À POSER

CS-1 p117

RS-1 p117

R-1 p117

C-1SCEM p118

R-2AG p118

C-2AG p118

RD-1 p119

CD-1 p119

TAPS / ROBINETS

CDA p122

CME p122

CSA p122

CMA p123

CBA p123

CBB p123

SINKS

High-strength stainless steel
Cleaning and hygiene
Elegance

High-strength

The stainless steel alloy used in making our sinks gives high strength and maintains the appearance of the product for decades.

Cleaning and hygiene

CATA sinks are easy to clean and keep in a perfect state thanks to the polishing and round edges.

Elegance

In designing the range of sinks, **CATA** has dealt with all the finer details to give them an impeccable appearance.

ÉVIERS
Acier inoxydable haute résistance
Propreté et hygiène
Élégance

Haute résistance
L'alliage d'acier inoxydable utilisé dans la fabrication de nos éviers leur confère une résistance importante tout en conservant l'aspect du produit pendant des décennies.

Propreté et hygiène
Les éviers CATA sont faciles à nettoyer et à conserver dans de parfaites conditions grâce à leur finition polie et à leurs bords arrondis.

Élégance
Le design de la gamme des éviers CATA a été soigné jusque dans le moindre détail pour que leur aspect soit impeccable.

undermount sinks

High-strength stainless steel
Cleaning and hygiene
Elegance

NEW
Double bowl
Under hob

CB 2

- **Double square bowl**
- Installation in 90-cm unit
- Bowl depts 20 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

- **Accessories:**
  - Watertight strip
  - Fastening clamps
  - Overflow pipe



CB 2
Code **02607210**
EAN Code **8422248058636**

CB 50-40

- **Square bowl**
- Installation in 60-cm unit
- Bowl depts 20 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

- **Accessories:**
  - Watertight strip
  - Fastening clamps
  - Overflow pipe



CB 50-40
Code **02625300**
EAN Code **8422248048743**

undermount sinks

High-strength stainless steel
Cleaning and hygiene
Elegance

CB 45-40

- **Square bowl**
- Installation in 60-cm unit
- Bowl depts 20 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

- **Accessories:**
  - Watertight strip
  - Fastening clamps
  - Overflow pipe



CB 45-40
Code **02621009**
EAN Code **8422248043175**

CB 40-40

- **Square bowl**
- Installation in 50-cm unit
- Bowl depts 20 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

- **Accessories:**
  - Watertight strip
  - Fastening clamps
  - Overflow pipe



CB 40-40
Code **02624001**
EAN Code **8422248036894**

sinks **top mount**

High-strength stainless steel
Cleaning and hygiene
Elegance

CS-1

- **Square bowl**
- Installation in 50-cm unit
- Bowl depts 16,5 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe

RS-1

- **Round bowl**
- Installation in 50-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe

R-1

- **Round bowl**
- Installation in 45-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe







CS-1
Code **02612101**
EAN Code **8422248055338**

RS-1
Code **02602141**
EAN Code **8422248037907**

R-1
Code **02601109**
EAN Code **8422248046572**

sinks **top mount**

High-strength stainless steel
Cleaning and hygiene
Elegance

C-1SCEM

- **Square bowl with draining board and auxiliary bowl**
- Installation in 60/100-cm unit
- Bowl depts 16,5/6,5 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe



C-1SCEM
Code **02611100**
EAN Code **8422248015066**

C-1SCEM - Right
Code **02611130**
EAN Code **8422248015073**

C-1SCEM- Left
Code **02611140**
EAN Code **8422248033701**

R-2 AG

- **2 round bowl**
- Installation in 90-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Includes **stainless steel lid** for hole if the tap is installed on the top or in the wall



R-2 AG
Code **02604209**
EAN Code **8422248043151**

C-2 AG

- **2 square bowl**
- Installation in 80-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Includes **stainless steel lid** for hole if the tap is installed on the top or in the wall



C-2 AG
Code **02607209**
EAN Code **8422248046565**

sinks top mount

RD-1

- **1 round bowl with draining board**
- Installation in 45/90-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe



RD-1 Right
Code **02603114**
EAN Code **8422248043199**



RD-1 Left
Code **02603109**
EAN Code **8422248043182**

CD-1

- **1 square bowl with draining board**
- Installation in 40/80-cm unit
- Bowl depts 18 cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2”

Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe



CD-1 Right
Code **02606114**
EAN Code **8422248043168**

CD-1 Left
Code **02606109**
EAN Code **8422248043144**

TAPS

Functionality
Quality

Functionality

CATA has a full range of models to adapt to your kitchen's surroundings. We offer a functional tap system without forgetting design and comfort.

Quality

All models are made in cast brass and chrome. They are subject to strict tests which allow us to assure the long life of our products both in the external and internal appearance, guaranteeing optimal quality.

ROBINETS
Fonctionnalité
Qualité

Fonctionnalité
CATA dispose d'une gamme complète de modèles qui s'adaptent à l'environnement de votre cuisine. Nous proposons une robinetterie fonctionnelle sans oublier le design et l'ergonomie.

Qualité
Tous les modèles sont fabriqués en laiton et chromés. Nous soumettons nos produits à des tests stricts qui nous permettent de garantir la durabilité de nos produits que ce soit en ce qui concerne leur aspect extérieur que leurs parties internes, ce qui nous permet de proposer la meilleure qualité.

CDA

- Removable single control
- **Ceramic cartridge**
- Removable stem (60 cm max.), revolving and airer
- Water jet selector, normal or shower

•Accessories:

- Flexible connection pipes

CME

- Removable single control
- **Ceramic cartridge**
- Removable stem (80 cm max.), revolving and airer
- Water jet selector, normal or shower

•Accessories:

- Flexible connection pipes

CSA

- Vertical mixer
- **Ceramic cartridge**
- Revolving stem and airer

•Accessories:

- Flexible connection pipes







CDA
Code **02500000**
EAN Code **8422248049054**

CME
Code **02500001**
EAN Code **8422248049061**

CSA
Code **02500002**
EAN Code **8422248055352**

CMA	CBA	CBB
• Vertical mixer • **Ceramic cartridge** • Revolving stem and airer •**Accessories:** • Flexible connection pipes	• Vertical mixer • **Ceramic cartridge** • Revolving stem and airer •**Accessories:** • Flexible connection pipes	• Vertical mixer • **Ceramic cartridge** • Revolving stem and airer •**Accessories:** • Flexible connection pipes







CMA	CBA	CBB
Code **02504004** EAN Code **8422248055345**	Code **02502001** EAN Code **8422248021180**	Code **02501001** EAN Code **8422248021197**



ACCESSORIES

EXTENSION LS. STEEL. Stainless steel decorative extension with light

Code	MEASUREMENTS mm	ACCESSORY	MODEL
02868300	900 x 500 x 55	LS. STEEL EXTENSION	SYGMA / SELENE
02840300	600 x 660 x 12	DECORATIVE PANEL 600 x 660 S. STEEL	
02839300	600 x 750 x 12	DECORATIVE PANEL 600 x 750 S. STEEL	
02866300	700 x 660 x 12	DECORATIVE PANEL 700 x 660 S. STEEL	
02841300	900 x 660 x 12	DECORATIVE PANEL 900 x 660 S. STEEL	
02842300	900 x 750 x 12	DECORATIVE PANEL 900 x 750 S. STEEL	
02860300	1200 x 660 x 12	DECORATIVE PANEL 1200 x 660 S. STEEL	
02841700	900 x 660 x 12	DECORATIVE PANEL 90 PLATINUM	

Decorative panels

Top Enhancer and Tube

Code	MEASUREMENTS mm	ACCESSORY	MODEL
02864300	302 x 393 x 30	ISLAND TUBE ENHANCER 302 x 393	ISLA SYGMA / ISLA THALASSA ISLA SELENE
02863300	600 x 480 x 30	ISLAND TUBE ENHANCER 600 x 480	ISLA VEGA
02865300	250 x 211 x 30	ISLAND TUBE ENHANCER 250 x 211	ISLA L

02861401	320x90	VERTICAL TUBES BLACK HOOD SET COLOR	THALASSA BK / ARTE BK / ATLAS BK
02861001	320 x 90	VERTICAL TUBES WHITE HOOD SET COLOR	THALASSA WH / ARTE WH / ATLAS WH
02853300	374 x 200 x 850 mm	CORNER HOOD TOP TUBE 374 x 200	ANGOLO BOX
02861300	320 x 290 x 820 mm	S. STEEL TOP TUBE 320 x 290	ARTE / SELENE / THALASSA VENERE / ATLAS / SYGMA
02862300	222 x 165 x 850 mm	S. STEEL TOP TUBE 222 x 165	BETA / OMEGA
02861700	320 x 290 x 850 mm	PLATINUM TOP TUBE 320 x 290	CORFU / SYGMA SILENT SPLIT
02862700	222 x 165 x 850 mm	PLATINUM TOP TUBE 222 x 165	ITACA
02837300	320 x 280 x 850 mm	GLASS HOOD TOP TUBE 320 x 280	GAMMA GLASS
02862000	222 x 165 x 850 mm	WHITE TOP TUBE 222 x 165	OMEGA WHITE
02862400	222 x 165 x 850 mm	BLACK TOP TUBE 222 x 165	OMEGA BLACK
02893002	Ø150 mm	NOISELESS FLEXIBLE DUCT Ø150 mm	

Adaptor + anti-return valve

Code	ACCESSORY	MODEL
02849002	ADAPTOR + TELESCOPIC CHECK VALVE 120 mm	F / TF
02849003	ADAPTOR + PREMIUM TELESCOPIC CHECK VALVE 120mm	TF 2003 / S BOX
02832001	ADAPTOR + DECORATIVE CHECK VALVE 150 mm	NEBLIA / CLASSICA / OMEGA Q / ISLA L
02832004	ADAPTOR + CHECK VALVE 150 mm UNIVERSAL	ARTe / TF 6600 THALASSA / ATLAS / SELENE CORFU / KYROS / ITACA / ISLA THALASSA ISLA SELENE / VENERE / VPLUS SYGMA / GAMMA / PV / GC DUAL / GL / GT PLUS / BETA / VEGA / ANGOLO BOX ANGOLO / ISLA SYGMA / ISLA VEGA ISLA GAMMA / C / S / V / CHORUS
02832005	ADAPTOR + CHECK VALVE GROUP TN 150 mm	CERES
02893001	REDUCTOR TUBE ACCESSORY TO 150 A 120	
02849000	HOOD CHECK VALVE 120 mm	

Adaptor + anti-return valve

Metal Filters

Code	ACCESSORY	MODEL
02800917	Universal MAX-PRO Metal Filter	HOODS **GROUP A** + **GROUP B**
02800200	Decorative Universal Premium Metal Filter	**GROUP A:** SYGMA / SELENE / CORFU / ITACA / CLASICA BETA / VEGA / ISLA SYGMA / ISLA VEGA / V PLUS / PV ISLA SELENE / OMEGA COBRE / ANGOLO BOX
02800905	Decorative Universal Metal Filter	**GROUP B:** ARTe / THALASSA / ATLAS / S / V / CHORUS ISLA THALASSA / NEBLIA / OMEGA / Q / ISLA L / CERES
02819000	Metal Decorative Curved Glass Filter	KYROS / GAMMA / C-Glass
02800400	Decorative Vertical Metal Filter interior	VENERE VL3
02812000	Metal Island Curved Glass Filter	ISLA GAMMA
02800300	Decorative Metal Corner Filter	ANGOLO
02800912	Conventional Modular Metal Filter	S BOX
02833162	Conventional Metal Filter 60	F 60
02833190	Conventional Metal Filter 90	F 90
02825270	Telescopic Metal Filter TF 50 / TF 52	TF 50 / TF 52
02825272	Telescopic Metal Filter 60	TF 2003 60
02825274	Telescopic Metal Filter 70	TF 2003 70
02825273	Telescopic Metal Filter 90	TF 2003 90
02808000	Metal Filter G45	G45
02800904	Metal Filter Group 45	GC DUAL 45
02800903	Metal Filter Group 75	GC DUAL 75
02811000	Metal Filter LGT PLUS	GL 45 / GL 75 / GT PLUS 45

Universal Metal Filter MAX-PRO

PREMIUM Universal Metal Filter

Universal Metal Filter

DUALES Filters (metal+active carbon washable)

Code	ACCESSORY	MODEL
02800918	Universal DUAL Filter	HIDRA / CAMPANAS **GRUPO A** + **GRUPO B**
02800921	Compact DUAL Filter	ISLA FARO
02811003	DUAL Filter G	MOON / GL 45 / GL 75 / GT PLUS 45

Filtro de Carbón Activo lavable para soluciones recirculantes.

Active Carbon Filters

Code	ACCESSORY	MODEL
02859391	A. C. Filter Decorative Classic	NEBLIA / CLASICA / OMEGA / Q / ISLA L / PV / ISLA GAMMA
02825263	A. C. Filter Modular Telescopic	TF 2003 / G45 / TF 6600
02846762	A. C. Filter Universal built-in hoods	TF 3600 / F / TF 50/52
02804300	A. C. Filter Modular Convencional	S BOX
02859392	A. C. Filter Decorative Premium	ARTe / THALASSA / ATLAS / SELENE / V PLUS CORFU / KYROS / ITACA / GT PLUS / GL /GC DUAL ISLA SELENE / ISLA VEGA / VENERE / SYGMA / GAMMA BETA / VEGA / ANGOLO / ISLA SYGMA / ISLA THALASSA
02859394	A. C. Filter Decorative Compact	C-Glass / S / V / CHORUS
02859396	A. C. Filter Group TN	CERES

Active Carbon Filters

Kit 2LED Universal GU-10

Code	ACCESSORY	
02800000	Kit 2LED Universal GU-10	Can be replaced by halogens 50W

cata

ISO 9001
BUREAU VERITAS
Certification
Nº ES044225-1

CNA group

CATA ELECTRODOMÉSTICOS, S.L.
c/ del Ter, 2 - 08570 TORELLÓ (Barcelona) SPAIN
Dpto. Com. +34 93 859 41 53 - Dpto. Export. +34 93 859 41 58
Tels. +34 859 41 00 - Fax +34 93 859 41 01 - www.cnagroup.es - cna@cnagroup.es